

HOW TO CONDUCT THE STATIONARY SOUND TEST

This is a summary of the SAE J1287 JUL98 stationary sound test procedure. Although stationary test measure primarily exhaust noise, this test has been designed to pass quiet vehicles (those which test below a specified limit) and fail those that exceed a certain sound level limit.

This procedure may be used to allow motorcycles and ATVs to enter an OHV park, as a prerequisite for entry into a competitive event, or to support enforcement actions for those vehicles subjectively observed as being too loud.

Sound Test Equipment

For convenience, attach a 20-inch string to the front of the sound level meter for the stationary sound test.

Do not use a stick or wire for this purpose as the sound level reading may be affected.

Allow the sound level meter to come to the same temperature as the surroundings.

Set sound level meter to the slow dynamic response and the A-weighting network (if equipped with this option).

Test Site

No one should be within 10 feet (3 meters) of the vehicle other than the rider, the sound meter operator, an assistant to hold the front of the vehicle(if needed) and one other person directly behind the sound meter operator(if needed).

The test area should be a flat, open surface free of large sound-reflecting surfaces within 16 feet (5 meters), such as parked vehicles, buildings, signs, and hillsides.

The surface should be free of loose soil, snow or grass higher than 6 inches (150 millimeters).

The ambient sound level (including wind effects) at the site shall be at least 10dB lower than the sound level of the vehicles tested.

Always use a windscreen under windy conditions. The stationary test procedure should not be conducted if the wind speed is 20 mph (9m/s) or higher.

If it is necessary to test in higher winds, position the vehicle so the wind direction is parallel to the normal direction of travel of the vehicle.

Also, do not attempt sound level measurement when it is raining or snowing.

Measuring the Vehicle Sound

Make sure the engine is warmed up and the transmission is in neutral.

Have the rider sit on the motorcycle with both feet on the ground, or on the ATV with feet on the footrests, so that the vehicle is vertical and stationary.

Hold the sound meter:

1. At a 45-degree angle to the exhaust centerline (the normal line of travel)
2. Parallel to the ground
3. 20 inches (0.5 meter) to the rear of the exhaust outlet
4. At the same height as the exhaust outlet

Determine the test RPM for the make, model, and year of vehicle from the tables in this manual.

If the test RPM (one-half the maximum rated RPM) is not available, please see alternatives for the test RPM below.

Set the vibrating reed tachometer to the test RPM, or attach an electric tachometer.

Have the rider or assistant hold the vibrating reed tachometer against any solid part of the vehicle, or have the rider or assistant read the meter of the electric tachometer.

Have the vehicle operator slowly increase the engine speed to the test RPM.

Have the vehicle operator or assistant signal when the correct RPM is held (e.g., by tapping his foot).

Read the sound level meter when the correct RPM is held.

Test RPM

If the test RPM (one-half the maximum rated RPM) is not available on the tables that follow, the following options may be used:

1. One-half of the redline speed may be used, however the measure sound will be higher than the level using the test RPM and a 3 dB tolerance must be added to the sound level measured. For more information on using one-half of the redline speed, please refer to the “SAE Standard J1287, Appendix A, A.1 Enforcement Testing”.

2. The closing RPM (according to the Federal Test Procedure) contained on the “Motorcycle Noise Emission Control Information” label may be used to determine one-half the maximum rated RPM. To determine one-half of the maximum rate RPM from the closing RPM value on the motorcycle label, use the appropriate formula below:

| Engine Size | 1/2 Maximum Rated RPM |
|--------------------|---|
| 0-175 cc | “Closing RPM” divided by 1.9 |
| 176-675 cc | “Closing RPM” divided by [2.18-(.0016 x engine size in cc)] |
| Over 675 cc | “Closing RPM” divided by 1.1 |

RECOMMENDED SOUND LIMITS

The Motorcycle Industry Council, Inc. (MIC) and the Specialty Vehicle Institute of America (SVIA) recommend the following maximum sound limit, based on the stationary sound test procedure (SAE J1287):

| Motorcycles & ATVs | Maximum Sound Level |
|----------------------------------|--|
| General Off-Highway Use | 96 dB(A) with (SAE J1287) |
| Closed-Course Competition Events | The sound limits established by the organization sanctioning the event should be followed. |

The 96 dB(A) limit is recommended as the maximum in areas where no sound level laws exist. Many states and localities, however, have ordinances mandating other sound level limits. Always check for the existence of local ordinances prior to riding in a new area.



1996-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

ARCTIC CAT ATVs

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-----------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 |
| 50 | 50 2x4 | JA50 | | | | | | | | | 2750 | 2750 | | | | | | |
| 90 | 90 2X4,DVX | AC20 | | | | | | | | | | | 3650 | 3650 | 3650 | 3650 | 3650 | 3650 |
| | 90 2x4 4 Stroke | CT90 | | | | | | | 3500 | 3500 | 3750 | 3750 | | | | | | |
| | 90 2x4 2 Stroke | JA90 | | | | | | | 3500 | 3500 | 3500 | | | | | | | |
| 150 | 150 2X4 | AC30 | | | | | | | | | | | | | | 3875 | 3875 | 3875 |
| 250 | 250 2X4,DVX | AC50 | | | | | | | | | | | 3200 | 3200 | 3200 | 3200 | | |
| | 250 2x4 | J432 | | | | 4850 | 4850 | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | |
| | 250 4x4 | J433 | | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | |
| 300 | 300DVX,2x4 | AC60 | | | | | | | | | | | | | | 3750 | 3750 | 3750 |
| | 300 2x4 | K411 | | | 4650 | 4650 | 4650 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | |
| 350 | 350 4x4 | AC70 | | | | | | | | | | | | | | | | 3425 |
| 366 | 366 4X4,FIS | AC70 | | | | | | | | | | | | | | 3400 | 3400 | 3400 |
| 375 | 375A 2x4,4x4 | K424,K425 | | | | | | | | 3250 | | | | | | | | |
| 400 | 400 4X4 | AC70 | | | | | | | | | | | | | | | 3200 | |
| | 400 2x4 | K408 | | | 4250 | 4250 | 4250 | 3500 | 3500 | | | | | | | | | |
| | 400 4x4 | K413 | | | 4250 | 4250 | 4250 | 3500 | 3500 | | | | | | | | | |
| | 400A 2x4 | K424 | | | | | | | | | 3250 | 3250 | | | | | | |
| | 400A 4x4 | K425 | | | | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | |
| | 400M 2x4 | K426 | | | | | | | | | 3500 | 3500 | | | | | | |



1996-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

ARCTIC CAT ATVs

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|----------------------------|--------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 |
| 400 | 400M 4x4, 400 DVX | K427,K428, K430 | | | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | |
| 425 | 425 4x4,FIS | A90 | | | | | | | | | | | | | | | | 3600 |
| 450 | 450 4x4,TRV | AC90 | | | | | | | | | | | | | | | 3500 | 3500 |
| 454 | 454 2x4 | K404 | | 4300 | 4300 | | | | | | | | | | | | | |
| | 454 4x4 | M403,K403 | 4300 | 4300 | 4300 | | | | | | | | | | | | | |
| 500 | 500/M 4x4 | M406 | | | 4250 | 4250 | 4250 | 3000 | 3000 | | | | | | | | | |
| | 500A 4X4 | M408 | | | | | 4250 | 3000 | 3000 | | | | | | | | | |
| | 500A 4x4 | M410 | | | | | | | | 3000 | 3000 | 3000 | | | | | | |
| | 500M 4x4 | M412 | | | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | | |
| 550 | 550H1,4X4 | 0550A | | | | | | | | | | | | | | 3150 | 3150 | 3150 |
| 650 | 650AH1,4X4, MudPro,FIS | 0650A | | | | | | | | | | | 3225 | 3225 | 3225 | 3225 | 3225 | 3225 |
| | 650AH14x4 | 10A650 | | | | | | | | | | | 3500 | | | | | |
| | 650AV-2 | VF650 | | | | | | | | | | 3250 | 3250 | 3250 | | | | |
| 700 | H14X4 | 0700A | | | | | | | | | | | | | | 3150 | 3150 | |
| | Prowl,er,FI,S | 0700A | | | | | | | | | | | | | | 2850 | 2850 | 2850 |
| | Cruiser | 0700A | | | | | | | | | | | | | | | 3000 | |
| | TBX,TRV, Cruser,Prowler | 0700A | | | | | | | | | | | | | | | | 3250 |



**1996-2011 Model Test RPM Data
 Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs**

ARCTIC CAT ATVs

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | |
| 700 | Mud Pro | 0700A | | | | | | | | | | | | | | | | 3325 | 3325 |
| | Diesel 4x4, FIS | LDW | | | | | | | | | | | | 2200 | 2200 | | | 1800 | 1800 |
| | EFI 4X4 | P414 | | | | | | | | | | | 2925 | 2925 | 2925 | | | | |
| 1000 | Prowler | 0950T | | | | | | | | | | | | | | | | 3250 | 3490 |
| | 1000 4x4 FIS | 0950T | | | | | | | | | | | | | | | | 3450 | 3450 |
| | 1000 4x4 TRV, Mud Pro, Cruiser | 0950T | | | | | | | | | | | | | | | | 3250 | 3250 |
| | H2 4X4 | 0950T1 | | | | | | | | | | | | | | 3450 | 3450 | | |
| | | | | | | | | | | | | | | | | | | | |



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

ATK Motorcycle

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 250 | ATK250(all) | 148 | | | | | | 5000 | 5000 | 5000 | | | | | | | | |
| | 250 | 257 | | | | | | | | | | 3875 | 3875 | | | | | |
| | 260LQ | 287 | | | | | | | | | | 4200 | 4200 | | | | | |
| 350 | 350 | 348 | | | | | | | | | | 3750 | 3750 | | | | | |
| | ATK350(all) | 237 | | | | | | 5500 | 5500 | 5500 | | | | | | | | |
| 406 | ATK406(all) | 157 | | | | | | 4500 | 4500 | 4500 | | | | | | | | |
| 604 | ATK604(all) | 257 | | | | | | 4000 | 4000 | 4000 | | | | | | | | |
| 605 | 605 | 604504 | | | | | | | | | | 3500 | 3500 | | | | | |
| | 605 | 560 | | | | | | | | | | 3650 | 3650 | | | | | |



1996-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

BOMBARDIER / CAN-AM (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 |
| 50 | DS 50 | DS50 | | | | | | | | | | 3500 | 3500 | 3500 | | | | |
| 70 | DS 70 | DS70 | | | | | | | | | | | | | 3500 | 3500 | 4000 | 4000 |
| 90 | DS 90 2 Stroke | DS902 | | | | | | | | | | 3315 | 3315 | 3315 | | | | |
| | DS 90 4 Stroke | DS904 | | | | | | | | | | 3250 | 3750 | 3750 | 3500 | 3500 | 4000 | 4000 |
| 175 | Rally | Rotax175 | | | | | | | | 4100 | 4100 | 4100 | 4100 | 4100 | | | | |
| 250 | DS 250 4 Stroke | DS2504 | | | | | | | | | | | 3250 | 3250 | 3250 | 3250 | 3050 | 3050 |
| 330 | Outlander 300 | Rotax325 | | | | | | | | | 3600 | 3600 | | | | | | |
| 400 | Outlander 400 | Rotax400 | | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | |
| | Outlander EFI | Rotax400 | | | | | | | | | | | | | 3625 | 3625 | 3750 | 3750 |
| 450 | DS 450 | DS450 | | | | | | | | | | | | | 2950 | 2950 | 3950 | 3950 |
| 500 | Renegade 500 | Rotax490 | | | | | | | | | | | | 3750 | 3750 | 3750 | 3700 | 3850 |
| | Outlander 500 | Rotax490 | | | | | | | | | | | | 3750 | 3750 | 3750 | 3700 | 3850 |
| | TraxterModels-ALL | Rotax511 | | | | | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | | | | | | |
| | Quest 500 | Rotax514 | | | | | | | 3700 | 3700 | 3700 | 3700 | | | | | | |
| 650 | Quest 650,XT | Rotax610 | | | | | 3250 | | 3525 | 3525 | 3525 | 3525 | | | | | | |
| | DS Models-ALL | Rotax654 | | | | | 3250 | 3250 | 3250 | 3250 | 3375 | 3375 | | | | | | |
| | DS 650 | Rotax654 | | | | | | | | | | | 3250 | 3250 | | | | |
| | Outlander 650 | Rotax660 | | | | | | | | | | | 3750 | 3750 | 3750 | 3750 | 3850 | 3850 |
| | | | | | | | | | | | | | | | | | | |



1996-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

BOMBARDIER / CAN-AM (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|---------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | |
| 800 | Outlander 800 | Rotax810 | | | | | | | | | | | 3500 | 3500 | 3500 | 3500 | 3625 | 3625 | |
| | Renegade 800 | Rotax810 | | | | | | | | | | | | 3500 | 3500 | 3500 | 3625 | 3625 | |
| 800 | Commander | Rotax810 | | | | | | | | | | | | | | | | 3625 | |
| 1000 | Commander | Rotax1010 | | | | | | | | | | | | | | | | 3500 | |
| | | | | | | | | | | | | | | | | | | | |



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 50 | CRF50F | AE03E | | | | | | | | | | | | | | | | |
| | XR50R | AE03E | | | | | | | | | | | | | | | | 4250 |
| | Z50R | AB02E | 3750 | 3750 | 3750 | 4250 | 4250 | | | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | |
| | ZB50 | AB22E | | | | 4000 | | | | | | | | | | | | |
| 70 | CRF70F | DE02E | | | | | | | | | | | | | | | | |
| | CT70 | DB01E | | | | | | | 4000 | 4000 | 4000 | 4000 | | | | | | |
| | XR70R | DE02E | | | | | | | | | | | | | 4000 | 4000 | 4000 | 4000 |
| 80 | CR80R*/RB* | HE04E | 7500 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6250 | 6250 | 6250 | 6250 | 6250 |
| | CRF80F | HE01E | | | | | | | | | | | | | | | | |
| | XL80S | HD04E | 3250 | | | | | | | | | | | | | | | |
| | XR80R | HE01E | 5250 | 5250 | 5000 | 5000 | | 5000 | 5000 | | 5000 | 5000 | 5000 | 5000 | 5000 | 5000 | 5000 | 5000 |
| 85 | CR85R*/RB* | HE07E | | | | | | | | | | | | | | | | |
| 90 | EZ90(CUB) | HE06E | | | | | | | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | | | | |
| 100 | CRF100F | HE03E | | | | | | | | | | | | | | | | |
| | XL100S | HD05E | 4750 | | | | | | | | | | | | | | | |
| | XR100 | HE03E | 4750 | | | | | | | | | 4500 | 4500 | 4500 | | | | |
| | XR100R | HE03E | | 4750 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 |
| 110 | CT110 | JD01E | | 3750 | | | | | | | | | | | | | | |
| 125 | CR125R* | JE01E | 5750 | 5750 | 5750 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5750 | 5750 | 5750 | 5750 | 5750 |
| | XL125S | JD02E | 4750 | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | |
| 50 | CRF50F | AE03E | | | | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | | 4250 | | | | |
| | XR50R | AE03E | 4250 | 4250 | 4250 | | | | | | | | | | | | |
| | Z50R | AB02E | | | | | | | | | | | | | | | |
| | ZB50 | AB22E | | | | | | | | | | | | | | | |
| 70 | CRF70F | DE02E | | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | 4000 | | | | |
| | CT70 | DB01E | | | | | | | | | | | | | | | |
| | XR70R | DE02E | 4000 | 4000 | 4000 | | | | | | | | | | | | |
| 80 | CR80R*/RB* | HE04E | 6250 | 6250 | | | | | | | | | | | | | |
| | CRF80F | HE01E | | | | 5000 | 5000 | 5000 | 5000 | 5000 | 5000 | | 5000 | | | | |
| | XL80S | HD04E | | | | | | | | | | | | | | | |
| | XR80R | HE01E | 5000 | 5000 | 5000 | | | | | | | | | | | | |
| 85 | CR85R*/RB* | HE07E | | | 6000 | 6000 | 6000 | 6000 | 6000 | | | | | | | | |
| 90 | EZ90(CUB) | HE06E | | | | | | | | | | | | | | | |
| 100 | CRF100F | HE03E | | | | 4750 | 4750 | 4750 | 4750 | 4750 | 4750 | | 4750 | | | | |
| | XL100S | HD05E | | | | | | | | | | | | | | | |
| | XR100 | HE03E | | | | | | | | | | | | | | | |
| | XR100R | HE03E | 4750 | 4750 | 4750 | | | | | | | | | | | | |
| 110 | CT110 | JD01E | | | | | | | | | | | | | | | |
| 125 | CR125R* | JE01E | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | | | | | | | | |
| | XL125S | JD02E | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------------|-----------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 150 | CRF150F | KE02E | | | | | | | | | | | | | | | | |
| | CRF150R*/RB* | KE03E | | | | | | | | | | | | | | | | |
| 200 | XR200R | ME04E, ME05E | | 4250 | 4000 | 4000 | | 4000 | 4000 | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | |
| 230 | CRF230F | ME09E | | | | | | | | | | | | | | | | |
| 250 | CR250R* | ME03E | 4000 | 4250 | 4000 | 4250 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | |
| | CRF250R* | ME10E | | | | | | | | | | | | | | | | |
| | CRF250X | ME11E | | | | | | | | | | | | | | | | |
| | XR250L | MD22E | | | | | | | 4000 | 4000 | 4000 | 4000 | 4000 | 3000 | | | | |
| | XR250R | 49SME06E | | 2000 | 2000 | 2000 | 2000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 3500 | 3500 | 3500 | 3500 | 3500 |
| | XR250R | CAME06E | | | | | | | | | | | | | | 4000 | 4000 | 4000 |
| 350 | XL350R | ND03E | 3750 | | | | | | | | | | | | | | | |
| | XR350R | NE01E | 3750 | | | | | | | | | | | | | | | |
| 400 | FL400 | TE16E | | | | | | 3000 | | | | | | | | | | |
| | XR400R | NE03E | | | | | | | | | | | 3500 | 3750 | 3750 | 3750 | 3750 | |
| 450 | CRF450R* | PE05E | | | | | | | | | | | | | | | | |
| | CRF450X | PE06E | | | | | | | | | | | | | | | | |
| 500 | CR500R* | PE02E | 3250 | 3250 | 3250 | 3000 | 3500 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | |
| 600 | XL600R | PD03E | 3000 | 3000 | 3000 | | | | | | | | | | | | | |
| | XR600R | 49SPE04E | 3250 | 3250 | 3250 | 3125 | 3125 | 3125 | 3250 | 3250 | 3250 | 3250 | | 3250 | 3250 | 3250 | 3250 | 3250 |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------|-----------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 150 | CRF150F | KE02E | | | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | | | | | | | | |
| | CRF150R*/RB* | KE03E | | | | | | | 6250 | 6250 | 6250 | | | | | | | | |
| 200 | XR200R | ME04E, ME05E | 4000 | 4000 | | | | | | | | | | | | | | | |
| 230 | CRF230F | ME09E | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | | | |
| 250 | CR250R* | ME03E | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | | | | | |
| | CRF250R* | ME10E | | | | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | | | | | | |
| | CRF250X | ME11E | | | | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | | | | | | | | |
| | XR250L | MD22E | | | | | | | | | | | | | | | | | |
| | XR250R | 49SME06E | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | XR250R | CAME06E | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | | | | | | | |
| 350 | XL350R | ND03E | | | | | | | | | | | | | | | | | |
| | XR350R | NE01E | | | | | | | | | | | | | | | | | |
| 400 | FL400 | TE16E | | | | | | | | | | | | | | | | | |
| | XR400R | NE03E | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | | |
| 450 | CRF450R* | PE05E | | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | 4250 | 4250 | 4250 | | | | | |
| | CRF450X | PE06E | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | |
| 500 | CR500R* | PE02E | | | | | | | | | | | | | | | | | |
| 600 | XL600R | PD03E | | | | | | | | | | | | | | | | | |
| | XR600R | 49SPE04E | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 600 | XR600R | CAPE04E | | | | | | | | | | | | | | 3000 | 3000 | 3000 |
| 650 | XR650L | RD06E | | | | | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 |
| | XR650R | RE01E | | | | | | | | | | | | | | | | 3250 |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 600 | XR600R | CAPE04E | | | | | | | | | | | | | | | | | |
| 650 | XR650L | RD06E | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | | | | | | | |
| | XR650R | RE01E | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (ATV)

Test RPM

| Engine size (in cc) | Model | Engine Prefix | Model Year | | | | | | | | | | | | | | | |
|---------------------|--------------|---------------|------------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| | | | 70 | ATC70 | TB03E | 3500 | | | | | | | | | | | | |
| | TRX70 | TE10E | | 3500 | 3500 | | | | | | | | | | | | | |
| 90 | TRX90/TRX90X | TE18E | | | | | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | |
| 110 | ATC110 | TB02E | 3875 | | | | | | | | | | | | | | | |
| 125 | ATC125M | TE01E | 3750 | 3750 | 3750 | | | | | | | | | | | | | |
| | TRX125 | TE01E/5E | 2750 | 3750 | 3750 | 3750 | | | | | | | | | | | | |
| 200 | ATC200M | TB05E | 3500 | | | | | | | | | | | | | | | |
| | ATC200S | TB05E | 3500 | 3500 | | | | | | | | | | | | | | |
| | ATC200X | TB05E | 4000 | 3750 | 3750 | | | | | | | | | | | | | |
| | TLR200 | MD19E | | 3250 | 3250 | | | | | | | | | | | | | |
| | TR200 | TE11E | | 3500 | 3500 | | | | | | | | | | | | | |
| | TRX200D | TE17E | | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | | | |
| | TRX200SX | TE03E | | 3250 | 3250 | 3250 | | | | | | | | | | | | |
| 250 | ATC250ES | TE04E | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | ATC250R | TB06E | 3500 | 3750 | | | | | | | | | | | | | | |
| | ATC250SX | TE04E | 3500 | 3500 | 3500 | | | | | | | | | | | | | |
| | TRX250 | TE06E | 3500 | 3500 | 3500 | | | | | | | | | | | | | |
| | TRX250 | TE21E | | | | | | | | | | | | | | | | |
| | TRX250EX | TE27E | | | | | | | | | | | | | 3250 | 3250 | 3250 | |
| | TRX250R | TE12E | | 3500 | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|------|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 70 | ATC70 | TB03E | | | | | | | | | | | | | | | | | |
| | TRX70 | TE10E | | | | | | | | | | | | | | | | | |
| 90 | TRX90/TRX90X | TE18E | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | |
| 110 | ATC110 | TB02E | | | | | | | | | | | | | | | | | |
| | ATC125M | TE01E | | | | | | | | | | | | | | | | | |
| 125 | TRX125 | TE01E/5E | | | | | | | | | | | | | | | | | |
| | ATC200M | TB05E | | | | | | | | | | | | | | | | | |
| 200 | ATC200S | TB05E | | | | | | | | | | | | | | | | | |
| | ATC200X | TB05E | | | | | | | | | | | | | | | | | |
| | TLR200 | MD19E | | | | | | | | | | | | | | | | | |
| | TR200 | TE11E | | | | | | | | | | | | | | | | | |
| | TRX200D | TE17E | | | | | | | | | | | | | | | | | |
| | TRX200SX | TE03E | | | | | | | | | | | | | | | | | |
| | ATC250ES | TE04E | | | | | | | | | | | | | | | | | |
| 250 | ATC250R | TB06E | | | | | | | | | | | | | | | | | |
| | ATC250SX | TE04E | | | | | | | | | | | | | | | | | |
| | TRX250 | TE06E | | | | | | | | | | | | | | | | | |
| | TRX250 | TE21E | 3250 | | | | | | | | | | | | | | | | |
| | TRX250EX | TE27E | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | 3500 |
| | TRX250R | TE12E | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 250 | TRX250R | TE06E | | | 3500 | 3500 | 3500 | | | | | | | | | | | |
| | TRX250TM/TE | TE21E | | | | | | | | | | | | | | | | |
| | TRX250X | TE13E | | | 3750 | 3750 | 3500 | | 3750 | 3750 | | | | | | | | |
| 300 | TRX300 | TE14E | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 |
| | TRX300EX | TE19E | | | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| | TRX300FW | TE15E | | | | 3250 | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 |
| 350 | ATC350X | TE08E | 3500 | 3500 | | | | | | | | | | | | | | |
| | TRX350D | TE07E | | 3000 | 3000 | 3000 | 3000 | | | | | | | | | | | |
| | TRX350FE/FM | TE25E | | | | | | | | | | | | | | | | 3250 |
| | TRX350TE/TM | TE24E | | | | | | | | | | | | | | | | 3250 |
| 400 | TRX400EX | TE23E | | | | | | | | | | | | | | | 3500 | 3500 |
| | TRX400FA/FGA | TE29E | | | | | | | | | | | | | | | | |
| | TRX400FW | TE20E | | | | | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 |
| 420 | TRX420FA/FPA | TE37E | | | | | | | | | | | | | | | | |
| | TRX420FE/FM/ FPE/FPM | TE35E | | | | | | | | | | | | | | | | |
| | TRX420TM/TE | TE34E | | | | | | | | | | | | | | | | |
| 450 | TRX450ES/S | TE22E | | | | | | | | | | | | | | 3125 | 3125 | 3125 |
| | TRX450FM/FE | TE22E | | | | | | | | | | | | | | | | |
| | TRX450R | TE30E | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 250 | TRX250R | TE06E | | | | | | | | | | | | | | | | |
| | TRX250TM/TE | TE21E | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | 3250 | | | | |
| | TRX250X | TE13E | | | | | | | | | | | | | | | | |
| 300 | TRX300 | TE14E | | | | | | | | | | | | | | | | |
| | TRX300EX | TE19E | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | |
| | TRX300FW | TE15E | | | | | | | | | | | | | | | | |
| 350 | ATC350X | TE08E | | | | | | | | | | | | | | | | |
| | TRX350D | TE07E | | | | | | | | | | | | | | | | |
| | TRX350FE/FM | TE25E | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | | | | |
| 400 | TRX350TE/TM | TE24E | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | | | | |
| | TRX400EX | TE23E | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | |
| | TRX400FA/FGA | TE29E | | | | 3250 | 3250 | 3250 | 3250 | | | | | | | | | |
| 420 | TRX400FW | TE20E | 3000 | 3000 | 3500 | | | | | | | | | | | | | |
| | TRX420FA/FPA | TE37E | | | | | | | | | | | | 3250 | 3250 | | | |
| | TRX420FE/FM/ FPE/FPM | TE35E | | | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | | | |
| 450 | TRX420TM/TE | TE34E | | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | | | | | |
| | TRX450ES/S | TE22E | 3125 | | | | | | | | | | | | | | | |
| | TRX450FM/FE | TE22E | | 3125 | 3125 | 3125 | | | | | | | | | | | | |
| | TRX450R | TE30E | | | | 3750 | 3750 | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|---------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 450 | TRX450R | TE32E | | | | | | | | | | | | | | | | |
| 500 | TRX500FA/ FGA/FPA | TE26E | | | | | | | | | | | | | | | | |
| | TRX500FE/ FM/TM/PE/FPM | TE31E | | | | | | | | | | | | | | | | |
| | TRX500FE/ FM/TM | TE31E | | | | | | | | | | | | | | | | |
| 650 | TRX650FA | TE28E | | | | | | | | | | | | | | | | |
| | TRX650FGA | TE28E | | | | | | | | | | | | | | | | |
| 680 | TRX680FA/FGA | TE33E | | | | | | | | | | | | | | | | |
| 700 | MUV700 | VE01E | | | | | | | | | | | | | | | | |
| | TRX700XX | TE36E | | | | | | | | | | | | | | | | |

HUSABERG (Motorcycle)

| | | | | | | | | | | | | | | | | | | |
|-----|------------------|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 390 | FE 390 , | 805 | | | | | | | | | | | | | | | | |
| 570 | FS 570 | 812 | | | | | | | | | | | | | | | | |
| 450 | FE 450*, FX 450* | 812 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

HONDA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|---------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | |
| 450 | TRX450R | TE32E | | | | | | 3750 | 3750 | 3750 | 3750 | | | | | | |
| 500 | TRX500FA/ FGA/FPA | TE26E | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | |
| | TRX500FE/FM /TM/PE/FPM | TE31E | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | | | | |
| | TRX500FE/ FM/TM | TE31E | | | | 3250 | 3250 | | | | | | | | | | |
| 650 | TRX650FA | TE28E | | | 3000 | 3000 | 3000 | | | | | | | | | | |
| | TRX650FGA | TE28E | | | | 3000 | 3000 | | | | | | | | | | |
| 680 | TRX680FA/FGA | TE33E | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | | | | |
| 700 | MUV700 | VE01E | | | | | | | | | | | 2750 | 2750 | | | |
| | TRX700XX | TE36E | | | | | | | | | 3000 | 3000 | | | | | |

HUSABERG (Motorcycle)

| | | | | | | | | | | | | | | | | | | |
|-----|------------------|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|------|
| 390 | FE 390 , | 805 | | | | | | | | | | | | | | | | 3000 |
| 570 | FS 570 | 812 | | | | | | | | | | | | | | | | 3400 |
| 450 | FE 450*, FX 450* | 812 | | | | | | | | | | | | | | | | 4500 |
| | | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 50 | KDX50-A1-3 | A102 | | | | | | | | | | | | | | | | |
| | KDX50-A6 | A102 | | | | | | | | | | | | | | | | |
| 60 | KX60-B12-16* | KX60BE | | | | | | | | | | | 6315 | 6315 | 6315 | 6315 | 6315 | |
| | KX60-B1-4, B9-11,B17-19* | KX060BE | 6000 | 6000 | 6000 | 6000 | | | | | 6000 | 6000 | 6000 | | | | | |
| | KX60-B6-8* | KX060BE | | | | | | 3750 | 3750 | 3750 | | | | | | | | |
| 65 | KD80-M7-8 | KD080ME | | 3250 | 3250 | | | | | | | | | | | | | |
| | KD80-N1-2 | AR080AE | | | | 3500 | 3500 | | | | | | | | | | | |
| | KDX80-C1-3,C5 | DX080BE | 5000 | 5000 | | | | | | | | | | | | | | |
| | KX65-A1-A6* | KX065AE | | | | | | | | | | | | | | | 6300 | |
| | KX65-A6-9-A-B* | KX065AE | | | | | | | | | | | | | | | | |
| | KX80-E3,G1-2* | KX080EE | 6000 | 6000 | 6000 | | | | | | | | | | | | | |
| | KX80-L1-3, R1-75,T1-4* | KX080EE/RE | | | | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | | | | | |
| 85 | KX80-R6-7, W1-3* | KX80RE/WE | | | | | | | | | | | 6300 | 6300 | 6300 | 6300 | 6300 | |
| | KX85-A1-A5* | KX085AE | | | | | | | | | | | | | | | | |
| | KX85-A6-9-A-B, KX85-B6-7-A* | KX085AE | | | | | | | | | | | | | | | | |
| 100 | KE100-B15-19 | G5E201/203 | | | | | | | | | | 3900 | 3900 | 3900 | 3900 | 3900 | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 50 | KDX50-A1-3 | A102 | | | 2500 | 2500 | 2500 | | | | | | | | | | | |
| | KDX50-A6 | A102 | | | | | | 2500 | | | | | | | | | | |
| 60 | KX60-B12-16* | KX60BE | | | | | | | | | | | | | | | | |
| | KX60-B1-4, B9-11,B17-19* | KX060BE | 6000 | 6000 | 6000 | | | | | | | | | | | | | |
| | KX60-B6-8* | KX060BE | | | | | | | | | | | | | | | | |
| 65 | KD80-M7-8 | KD080ME | | | | | | | | | | | | | | | | |
| | KD80-N1-2 | AR080AE | | | | | | | | | | | | | | | | |
| | KDX80-C1-3,C5 | DX080BE | | | | | | | | | | | | | | | | |
| | KX65-A1-A6* | KX065AE | 6000 | 6250 | 6250 | 6250 | 6250 | | | | | | | | | | | |
| | KX65-A6-9-A-B* | KX065AE | | | | | | 6250 | 6250 | 6250 | 6250 | 6250 | 6250 | | | | | |
| | KX80-E3,G1-2* | KX080EE | | | | | | | | | | | | | | | | |
| | KX80-L1-3, R1-75,T1-4* | KX080EE/RE | | | | | | | | | | | | | | | | |
| | KX80-R6-7, W1-3* | KX80RE/WE | | | | | | | | | | | | | | | | |
| 85 | KX85-A1-A5* | KX085AE | 6000 | 6000 | 6000 | 6000 | 6000 | | | | | | | | | | | |
| | KX85-A6-9-A-B, KX85-B6-7-A* | KX085AE | | | | | | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | | | | | |
| 100 | KE100-B15-19 | G5E201/203 | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|--------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 |
| 100 | KE100-B20 | G5E21 | | | | | | | | | | | | | | | |
| | KE100-B5,7,9-14 | G5E,G5E1 | | 3750 | | 3750 | | | 3750 | 3750 | 3750 | 3750 | 3750 | | | | |
| | KX100-B5-7, C1-3* | KX100BE/CE | | | | | | | | | | | 6000 | 6300 | 6300 | 6300 | 6300 |
| | KX100-D1-5* | KX100CE | | | | | | | | | | | | | | | |
| | KX100-D6-9-A-B* | KX100CE | | | | | | | | | | | | | | | |
| 110 | KLX110-A1-4 | LX110AE | | | | | | | | | | | | | | | |
| | KLX110-A6-9-A | LX110AE | | | | | | | | | | | | | | | |
| | KLX110-CA-B, KLX110-DA-B | LX110AE | | | | | | | | | | | | | | | |
| 125 | KLX125-A1,B1 | F445 | | | | | | | | | | | | | | | |
| | KLX125-A6,B6 | F445 | | | | | | | | | | | | | | | |
| | KX125-D1,E1-2* | KX125DE | 5500 | 5500 | 5750 | | | | | | | | | | | | |
| | KX125-F1, G1,H1-2,J1-2* | KX125FE/JE | | | | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | | | | | | |
| | KX125-K1-5* | KX125KE | | | | | | | | | | 5625 | 5750 | 5900 | 5900 | 5900 | |
| | KX125-L1-2* | KX125KE | | | | | | | | | | | | | | | 5800 |
| | KX125-L3,L4* | KX125LE | | | | | | | | | | | | | | | |
| | KX125-M1-3* | KX125ME | | | | | | | | | | | | | | | |
| KX125-M6* | KX125ME | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | 2012 | 2013 | 2014 | 2015 | 2016 |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 100 | KE100-B20 | G5E21 | 3750 | | | | | | | | | | | | | | | | |
| | KE100-B5,7,9-14 | G5E,G5E1 | | | | | | | | | | | | | | | | | |
| | KX100-B5-7, C1-3* | KX100BE/CE | | | | | | | | | | | | | | | | | |
| | KX100-D1-5* | KX100CE | 5750 | 5750 | 5750 | 5750 | 5750 | | | | | | | | | | | | |
| | KX100-D6-9-A-B* | KX100CE | | | | | | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | | | | | |
| 110 | KLX110-A1-4 | LX110AE | | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | KLX110-A6-9-A | LX110AE | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | |
| | KLX110-CA-B, KLX110-DA-B | LX110AE | | | | | | | | | | | 3750 | 3750 | | | | | |
| 125 | KLX125-A1,B1 | F445 | | | 4000 | | | | | | | | | | | | | | |
| | KLX125-A6,B6 | F445 | | | | | | 4000 | | | | | | | | | | | |
| | KX125-D1,E1-2* | KX125DE | | | | | | | | | | | | | | | | | |
| | KX125-F1, G1,H1-2,J1-2* | KX125FE/JE | | | | | | | | | | | | | | | | | |
| | KX125-K1-5* | KX125KE | | | | | | | | | | | | | | | | | |
| | KX125-L1-2* | KX125KE | | | | | | | | | | | | | | | | | |
| | KX125-L3,L4* | KX125LE | 5750 | 5625 | | | | | | | | | | | | | | | |
| | KX125-M1-3* | KX125ME | | | 5750 | 5750 | 5750 | | | | | | | | | | | | |
| KX125-M6* | KX125ME | | | | | | | 5750 | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|---|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 140 | KLX140-A8-9, KLX149A-B, KLX140-B8-9-A-B | LX140AE | | | | | | | | | | | | | | | | |
| 200 | KDX200-A3 | DX200AE | 3750 | | | | | | | 6000 | 6000 | 6000 | | | | | | |
| | KDX200-C1-3 | DX200CE | | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | KDX200-E1-6 | DX200EE | | | | | 3750 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | |
| | KDX200-H1-11 | DX200HE | | | | | | | | | | | 4000 | 3700 | 3700 | 3700 | 3700 | 3700 |
| | KDX200-H6 | DX200HE | | | | | | | | | | | | | | | | |
| 220 | KDX220-A4-12 | DX220AE | | | | | | | | | | | | | 3700 | 3700 | 3700 | 3700 |
| 250 | KDX250-D1-4 | DX250DE/FE | | | | | | | | 3750 | 3750 | 3500 | 3500 | | | | | |
| | KL250-D13-17 | KL250DE | | | | | | | | | | | | 3900 | 3900 | 3900 | 3900 | 3900 |
| | KL250-D18-22 | KL250DE | | | | | | | | | | | | | | | | |
| | KL250-D2-12 | KL250DE | 4500 | 4500 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | | | | | |
| | KL250-G5-7 SuperSherpa | KL250GE | | | | | | | | | | | | | | | | |
| | KL250-G6-7-9-A | KL250GE | | | | | | | | | | | | | | | | |
| | KLX250-D1-4 | LX250DE | | | | | | | | | | 4250 | 4250 | 4250 | 3900 | | | |
| | KLX250-T9-A | LX250DE | | | | | | | | | | | | | | | | |
| | KLX250-W9-A | LX250DE | | | | | | | | | | | | | | | | |
| KX250-D1-2* | KX250DE | 4200 | 4000 | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|---|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 140 | KLX140-A8-9, KLX149A-B, KLX140-B8-9-A-B | LX140AE | | | | | | | | 4000 | 4000 | 4000 | 4000 | 4000 | | | | |
| 200 | KDX200-A3 | DX200AE | | | | | | | | | | | | | | | | |
| | KDX200-C1-3 | DX200CE | | | | | | | | | | | | | | | | |
| | KDX200-E1-6 | DX200EE | | | | | | | | | | | | | | | | |
| | KDX200-H1-11 | DX200HE | 4000 | 4000 | 3500 | 3500 | 3500 | | | | | | | | | | | |
| | KDX200-H6 | DX200HE | | | | | | 3500 | | | | | | | | | | |
| 220 | KDX220-A4-12 | DX220AE | 3750 | 3750 | 3500 | 3500 | 3500 | | | | | | | | | | | |
| 250 | KDX250-D1-4 | DX250DE/FE | | | | | | | | | | | | | | | | |
| | KL250-D13-17 | KL250DE | | | | | | | | | | | | | | | | |
| | KL250-D18-22 | KL250DE | 4250 | 4250 | 4250 | 4250 | 4250 | | | | | | | | | | | |
| | KL250-D2-12 | KL250DE | | | | | | | | | | | | | | | | |
| | KL250-G5-7 SuperSherpa | KL250GE | 4000 | 4000 | 4000 | | | | | | | | | | | | | |
| | KL250-G6-7-9-A | KL250GE | | | | | | 4000 | 4000 | | | 4000 | 4000 | | | | | |
| | KLX250-D1-4 | LX250DE | | | | | | | | | | | | | | | | |
| | KLX250-T9-A | LX250DE | | | | | | | | | | 4250 | 4250 | | | | | |
| | KLX250-W9-A | LX250DE | | | | | | | | | | 4250 | 4250 | | | | | |
| KX250-D1-2* | KX250DE | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|----------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | |
| 250 | KX250-E1, F1,G1,H1-2,J1-2* | KX250EE | | | 4250 | 4000 | 4000 | 4000 | 4000 | 4000 | 4250 | | | | | | | | |
| | KX250-K1-5,L1-2* | KX250KE/LE | | | | | | | | | | 4000 | 4250 | 3700 | 3700 | 3700 | 3700 | 3700 | |
| | KX250-L3,L4* | KX250LE | | | | | | | | | | | | | | | | | |
| | KX250-M1-2* (2Stroke) | KX250ME | | | | | | | | | | | | | | | | | |
| | KX250-N1-2* (4Stroke) | KX250NE | | | | | | | | | | | | | | | | | |
| | KX250-R1* | KX250RE | | | | | | | | | | | | | | | | | |
| | KX250-R6-8* | KX250RE | | | | | | | | | | | | | | | | | |
| | KX250-T6-8* | KX250TE | | | | | | | | | | | | | | | | | |
| | KX250-W9-A* | KX250WE | | | | | | | | | | | | | | | | | |
| | KX250-XA* | KX250XE | | | | | | | | | | | | | | | | | |
| KX250-YB* | KX250YE | | | | | | | | | | | | | | | | | | |
| 300 | KLX300-A2-5 | LX300AE | | | | | | | | | | | | | 3900 | 3900 | 3900 | 3900 | |
| | KLX300-A6-10 | LX300AE | | | | | | | | | | | | | | | | | |
| | KLX300-A6-7 | LX300AE | | | | | | | | | | | | | | | | | |
| 400 | KLX400-A1L | K419 | | | | | | | | | | | | | | | | | |
| | KLX400-B1 | K417 | | | | | | | | | | | | | | | | | |
| 450 | KLX450-A8-9-A-B | LX450AE | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|----------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | |
| 250 | KX250-E1, F1,G1,H1-2,J1-2* | KX250EE | | | | | | | | | | | | | | | |
| | KX250-K1-5,L1-2* | KX250KE/LE | | | | | | | | | | | | | | | |
| | KX250-L3,L4* | KX250LE | 4250 | 4250 | | | | | | | | | | | | | |
| | KX250-M1-2* (2Stroke) | KX250ME | | | 4250 | 4250 | | | | | | | | | | | |
| | KX250-N1-2* (4Stroke) | KX250NE | | | | 5500 | 5500 | | | | | | | | | | |
| | KX250-R1* | KX250RE | | | | | 4500 | | | | | | | | | | |
| | KX250-R6-8* | KX250RE | | | | | | 4500 | 4500 | 4500 | | | | | | | |
| | KX250-T6-8* | KX250TE | | | | | | 5750 | 5750 | 5750 | | | | | | | |
| | KX250-W9-A* | KX250WE | | | | | | | | | 5750 | 5750 | | | | | |
| | KX250-XA* | KX250XE | | | | | | | | | | 5750 | | | | | |
| KX250-YB* | KX250YE | | | | | | | | | | | 5750 | | | | | |
| 300 | KLX300-A2-5 | LX300AE | | | | | | | | | | | | | | | |
| | KLX300-A6-10 | LX300AE | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | |
| | KLX300-A6-7 | LX300AE | | | | | | 3500 | 3500 | | | | | | | | |
| 400 | KLX400-A1L | K419 | | | 3750 | | | | | | | | | | | | |
| | KLX400-B1 | K417 | | | 4000 | | | | | | | | | | | | |
| 450 | KLX450-A8-9-A-B | LX450AE | | | | | | | | 3750 | 3750 | 3750 | 3750 | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 450 | KX450-D6-8* | KX450DE | | | | | | | | | | | | | | | | |
| | KX450-E9-A-B* | KX450EE | | | | | | | | | | | | | | | | |
| 500 | KX500-B1-2, C1,D1,E1-7* | KX500BE | 3500 | 3250 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | |
| | KX500-E13-16* | KX500BE | | | | | | | | | | | | | | | | |
| | KX500-E8-12* | KX500BE | | | | | | | | | | | | 3200 | 3200 | 3200 | 3200 | |
| 600 | KL600-B1-2 | KL600AE | 3500 | 3500 | | | | | | | | | | | | | | |
| 650 | KL650-A10-14KLR | KL650KE | | | | | | | | | | | | 3000 | 3000 | 3000 | 3000 | |
| | KL650-A15L-A17L | KL650AE | | | | | | | | | | | | | | | | |
| | KL650-A1-9,B2KLR | KL650AE/A | | | 3250 | 4250 | N/A | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | |
| | KL650-A6-7 | KL650AE | | | | | | | | | | | | | | | | |
| | KL650-E8-9 | KL650AE | | | | | | | | | | | | | | | | |
| | KLX650-C1-4,D1 | LX650AE | | | | | | | | | | 3250 | 3250 | 3250 | 3000 | | | |
| | KLX650R-A1-3 | LX650AE | | | | | | | | | | 3250 | 3250 | 3250 | | | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|---------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 450 | KX450-D6-8* | KX450DE | | | | | | 4250 | 4250 | 4250 | | | | | | | | | |
| | KX450-E9-A-B* | KX450EE | | | | | | | | | | 4000 | 4000 | 4000 | | | | | |
| 500 | KX500-B1-2, C1, D1, E1-7* | KX500BE | | | | | | | | | | | | | | | | | |
| | KX500-E13-16* | KX500BE | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | | |
| | KX500-E8-12* | KX500BE | | | | | | | | | | | | | | | | | |
| 600 | KL600-B1-2 | KL600AE | | | | | | | | | | | | | | | | | |
| 650 | KL650-A10-14KLR | KL650KE | | | | | | | | | | | | | | | | | |
| | KL650-A15L-A17L | KL650AE | 3250 | 3250 | 3250 | | | | | | | | | | | | | | |
| | KL650-A1-9,B2KLR | KL650AE/A | | | | | | | | | | | | | | | | | |
| | KL650-A6-7 | KL650AE | | | | | | 3250 | 3250 | | | | | | | | | | |
| | KL650-E8-9 | KL650AE | | | | | | | | | 3250 | 3250 | 3250 | | | | | | |
| | KLX650-C1-4,D1 | LX650AE | | | | | | | | | | | | | | | | | |
| | KLX650R-A1-3 | LX650AE | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|--------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 |
| 50 | KSF50-A1 | A110 | | | | | | | | | | | | | | | |
| | KSF50-A6 | A110 | | | | | | | | | | | | | | | |
| | KSF50-B7-9 | WA10 | | | | | | | | | | | | | | | |
| 80 | KSF80-A1 | C113 | | | | | | | | | | | | | | | |
| | KSF80-A6 | C113 | | | | | | | | | | | | | | | |
| 90 | KSF90-A7-9 | WA20 | | | | | | | | | | | | | | | |
| 110 | KLF110-A1-2,B | LT110AE | | | 4250 | 4250 | | | | | | | | | | | |
| | KLT110-A2-3 | LT110AE | 4250 | 4250 | | | | | | | | | | | | | |
| 160 | KLT160-A1 | LT160AE | 3750 | | | | | | | | | | | | | | |
| 185 | KLF185-A1-4 | LF185AE | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | |
| | KLT185-A1-2 | LF185AE | | 3500 | 3500 | | | | | | | | | | | | |
| 220 | KLF220-A1-8 | LF220AE/BE | | | | 3500 | 3500 | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | |
| | KLF220-A9-15 | LF220AE | | | | | | | | | | | 3450 | 3450 | 3450 | 3450 | 3450 |
| 250 | KLF250-A1-3 | LF250AE | | | | | | | | | | | | | | | |
| | KLF250-A6-9-A-B | LF250AE | | | | | | | | | | | | | | | |
| | KLT250-C3 | KZ250RE | 3750 | | | | | | | | | | | | | | |
| | KSF250-A10-14 | SF250AE | | | | | | | | | | | 3600 | 3600 | 3600 | 3600 | 3600 |
| | KSF250-A1-9, 15-18 | SF250AE | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | |
| | KXT250-A2 | XDT250CE | 4250 | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 50 | KSF50-A1 | A110 | | | 2500 | | | | | | | | | | | | | | |
| | KSF50-A6 | A110 | | | | | | 2500 | | | | | | | | | | | |
| | KSF50-B7-9 | WA10 | | | | | | | 3750 | 3750 | 3750 | | | | | | | | |
| 80 | KSF80-A1 | C113 | | | 3500 | | | | | | | | | | | | | | |
| | KSF80-A6 | C113 | | | | | | 3500 | | | | | | | | | | | |
| 90 | KSF90-A7-9 | WA20 | | | | | | | | 3750 | 3750 | 3750 | | | | | | | |
| 110 | KLF110-A1-2,B | LT110AE | | | | | | | | | | | | | | | | | |
| | KLT110-A2-3 | LT110AE | | | | | | | | | | | | | | | | | |
| 160 | KLT160-A1 | LT160AE | | | | | | | | | | | | | | | | | |
| 185 | KLF185-A1-4 | LF185AE | | | | | | | | | | | | | | | | | |
| | KLT185-A1-2 | LF185AE | | | | | | | | | | | | | | | | | |
| 220 | KLF220-A1-8 | LF220AE/BE | | | | | | | | | | | | | | | | | |
| | KLF220-A9-15 | LF220AE | 3750 | 3750 | | | | | | | | | | | | | | | |
| 250 | KLF250-A1-3 | LF250AE | | | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | KLF250-A6-9-A-B | LF250AE | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | |
| | KLT250-C3 | KZ250RE | | | | | | | | | | | | | | | | | |
| | KSF250-A10-14 | SF250AE | | | | | | | | | | | | | | | | | |
| | KSF250-A1-9, 15-18 | SF250AE | 4000 | 4000 | 4000 | 4000 | | | | | | | | | | | | | |
| | KXT250-A2 | XDT250CE | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (ATV)

Test RPM

| Engine size (in cc) | Model | Engine Prefix | Model Year | | | | | | | | | | | | | | | | |
|---------------------|------------------------|---------------|------------|-------------|---------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | |
| | | | 250 | KXT250-B1-2 | KX250DE | | 3750 | 3750 | | | | | | | | | | | |
| 300 | KEF300-A1-6 | EF300AE | | | | | | | | | | | 3500 | 3200 | 3200 | 3200 | 3200 | 3200 | |
| | KEF300-B1,B2,B4 | EF300AE | | | | | | | | | | | | | | | | | |
| | KEF300-B3 | EF300AE | | | | | | | | | | | | | | | | | |
| | KLF300-A1-2,B1 | LF300AE | | 3500 | 3500 | 3500 | | | | | | | | | | | | | |
| | KLF300-B14-18 | LF300AE | | | | | | | | | | | | | | | | | |
| | KLF300-B2-7,C1-7 | LF300AE | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | |
| | KLF300-B9-13, C8-12 | LF300AE | | | | | | | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | |
| | KLF300-C13-17 | LF300AE | | | | | | | | | | | | | | | | | |
| | KVF300-A1-2,B1-2 | VF300AE | | | | | | | | | | | | | | | 3200 | 3200 | |
| KVF300-A3-4 | VF300AE | | | | | | | | | | | | | | | | | | |
| 360 | KVF360-A1-3, B1-3,C1-3 | VF360AE | | | | | | | | | | | | | | | | | |
| | KVF360-A6-9-A-B | VF360AE | | | | | | | | | | | | | | | | | |
| | KVF360-B6-9 | VF360AE | | | | | | | | | | | | | | | | | |
| | KVF360-C6-9-A-B | VF360AE | | | | | | | | | | | | | | | | | |
| 400 | KLF400-B4,B6-7 | LF400AE | | | | | | | | | | 3000 | 3500 | 6000 | | 6000 | 6000 | | |
| | KSF400-A1L | K428 | | | | | | | | | | | | | | | | | |
| | KVF400-A1-2,C1-2 | VF400AE | | | | | | | | | | | | | 6500 | 6500 | 6500 | 6500 | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 250 | KXT250-B1-2 | KX250DE | | | | | | | | | | | | | | | | | |
| 300 | KEF300-A1-6 | EF300AE | | | | | | | | | | | | | | | | | |
| | KEF300-B1,B2,B4 | EF300AE | 3500 | 3500 | | 3500 | | | | | | | | | | | | | |
| | KEF300-B3 | EF300AE | | | 3250 | | | | | | | | | | | | | | |
| | KLF300-A1-2,B1 | LF300AE | | | | | | | | | | | | | | | | | |
| | KLF300-B14-18 | LF300AE | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | | | | | | |
| | KLF300-B2-7,C1-7 | LF300AE | | | | | | | | | | | | | | | | | |
| | KLF300-B9-13, C8-12 | LF300AE | | | | | | | | | | | | | | | | | |
| | KLF300-C13-17 | LF300AE | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | | | | | | |
| | KVF300-A1-2,B1-2 | VF300AE | | | | | | | | | | | | | | | | | |
| | KVF300-A3-4 | VF300AE | 3500 | 3500 | | | | | | | | | | | | | | | |
| 360 | KVF360-A1-3, B1-3,C1-3 | VF360AE | | | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | KVF360-A6-9-A-B | VF360AE | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | |
| | KVF360-B6-9 | VF360AE | | | | | | 3500 | 3500 | 3500 | 3500 | | | | | | | | |
| | KVF360-C6-9-A-B | VF360AE | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | |
| 400 | KLF400-B4,B6-7 | LF400AE | | | | | | | | | | | | | | | | | |
| | KSF400-A1L | K428 | | | 3500 | | | | | | | | | | | | | | |
| | KVF400-A1-2,C1-2 | VF400AE | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 400 | KVF400-B1,D1-2 | VF400AE | | | | | | | | | | | | | | 6500 | 6500 | 6500 |
| 450 | KSF450-B8-9-A-B | SF450BE | | | | | | | | | | | | | | | | |
| 650 | KVF650-A1-2,D1 | VF650AE | | | | | | | | | | | | | | | | |
| | KVF650-B2,E1 | VF650AE | | | | | | | | | | | | | | | | |
| | KVF650-D6-9-A-B | VF650AE | | | | | | | | | | | | | | | | |
| | KVF650-E6-9 | VF650AE | | | | | | | | | | | | | | | | |
| | KVF650-F6-9-A-B | VF650AE | | | | | | | | | | | | | | | | |
| | KVF650-G6-9-A-B | VF650AE | | | | | | | | | | | | | | | | |
| | KVF650-H7-8 | VF650AE | | | | | | | | | | | | | | | | |
| 700 | KSV700-A1-2,B1-2 | SV700AE | | | | | | | | | | | | | | | | |
| | KSV700-A6-9 | SV700AE | | | | | | | | | | | | | | | | |
| | KSV700-B6-8-A | SV700AE | | | | | | | | | | | | | | | | |
| | KSV700-C6 | SV700AE | | | | | | | | | | | | | | | | |
| | KVF700-A1-2, B1,D1 | VF700AE | | | | | | | | | | | | | | | | |
| | KVF700-A6 | VF700AE | | | | | | | | | | | | | | | | |
| | KVF700-D6 | VF700AE | | | | | | | | | | | | | | | | |
| 750 | KRF750-G9,H9, J9, K9, L9, M9 | VF750DE | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | | |
|---------------------|------------------------------|------------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | | |
| 400 | KVF400-B1,D1-2 | VF400AE | | | | | | | | | | | | | | | | | | |
| 450 | KSF450-B8-9-A-B | SF450BE | | | | | | | | | 3750 | 3750 | 3750 | 3750 | | | | | | |
| 650 | KVF650-A1-2,D1 | VF650AE | | 3250 | 3250 | | 3250 | | | | | | | | | | | | | |
| | KVF650-B2,E1 | VF650AE | | | 3250 | | 3250 | | | | | | | | | | | | | |
| | KVF650-D6-9-A-B | VF650AE | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | |
| | KVF650-E6-9 | VF650AE | | | | | | 3250 | 3250 | 3250 | 3250 | | | | | | | | | |
| | KVF650-F6-9-A-B | VF650AE | | | | | | 3750 | 3750 | 3750 | 3750 | 3250 | 3250 | | | | | | | |
| | KVF650-G6-9-A-B | VF650AE | | | | | | 3750 | 3750 | 3750 | 3750 | 3250 | 3250 | | | | | | | |
| | KVF650-H7-8 | VF650AE | | | | | | | 3750 | 3750 | | | | | | | | | | |
| | 700 | KSV700-A1-2,B1-2 | SV700AE | | | | 3250 | 3250 | | | | | | | | | | | | |
| KSV700-A6-9 | | SV700AE | | | | | | 3250 | 3250 | 3250 | 3250 | | | | | | | | | |
| KSV700-B6-8-A | | SV700AE | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | | |
| KSV700-C6 | | SV700AE | | | | | | 3250 | | | | | | | | | | | | |
| KVF700-A1-2, B1,D1 | | VF700AE | | | | 3250 | 3250 | | | | | | | | | | | | | |
| KVF700-A6 | | VF700AE | | | | | | 3250 | | | | | | | | | | | | |
| KVF700-D6 | | VF700AE | | | | | | 3250 | | | | | | | | | | | | |
| 750 | KRF750-G9,H9, J9, K9, L9, M9 | VF750DE | | | | | | | | | | 3250 | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|---------------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 750 | KRF750-NA-B, TA,PA-B,RA-B, SA-B,TB,VB | VF750DE | | | | | | | | | | | | | | | | |
| | KVF750-A1,B1 | VF750AE | | | | | | | | | | | | | | | | |
| | KVF750-A6-7 | VF750AE | | | | | | | | | | | | | | | | |
| | KVF750-B6-7 | VF750AE | | | | | | | | | | | | | | | | |
| | KVF750-C6-7 | VF750AE | | | | | | | | | | | | | | | | |
| | KVF750-D8-9-A-B,E8-9-A | VF750DE | | | | | | | | | | | | | | | | |
| | KVF750-F8-A-B | VF750DE | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KAWASAKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|---------------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 750 | KRF750-NA-B, TA,PA-B,RA-B, SA-B,TB,VB | VF750DE | | | | | | | | | | | 3250 | 3250 | | | | |
| | KVF750-A1,B1 | VF750AE | | | | | 3250 | | | | | | | | | | | |
| | KVF750-A6-7 | VF750AE | | | | | | 3250 | 3250 | | | | | | | | | |
| | KVF750-B6-7 | VF750AE | | | | | | 3250 | 3250 | | | | | | | | | |
| | KVF750-C6-7 | VF750AE | | | | | | 3250 | 3250 | | | | | | | | | |
| | KVF750-D8-9-A-B,E8-9-A | VF750DE | | | | | | | | | 3250 | 3250 | 3250 | 3250 | | | | |
| | KVF750-F8-A-B | VF750DE | | | | | | | | | | 3250 | | 3250 | 3250 | | | |
| | | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 50 | 50Jr/SrAdventure* | 450 | | | | | | | | | | | | | | | | |
| | 50Jr/Sr/MiniAdventure* | 450 | | | | | | | | | | | | | | | 4800 | |
| | 50SXProJunior* | 450 | | | | | | | | | | | | | | | | |
| | 50SXProSenior* | 451 | | | | | | | | | | | | | | | | |
| | 50SXProJunior*, SXMini* | 450,452 | | | | | | | | | | | | | | | | |
| | Adventure, SXMiniAdv* | 450 | | | | | | | | | | | | 4500 | 4500 | 4500 | 4500 | |
| | SX* | 450 | | | | | | | | 4800 | 4800 | 4800 | 4800 | | | | | |
| | SX3* | 450 | | | | | | | | | 4500 | | 4500 | | | | | |
| | SXR,SXRP*, SXRPRO,Jr/Sr* | 450 | | | | | | | | | | | 4800 | 4800 | 4800 | 4800 | 4800 | |
| 65 | 65SX* | 460462 | | | | | | | | | | | | | | | | |
| | 65XC* | 460 | | | | | | | | | | | | | | | | |
| | 65SX* | 460 | | | | | | | | | | | | 4750 | 4750 | 4750 | | |
| 80 | MX* | 490 | | | 6000 | 6000 | | | | | | | | | | | | |
| | MX* | 490 | | | | 5750 | 5750 | | | | | | | | | | | |
| 85 | 85SX* | 490 | | | | | | | | | | | | | | | | |
| 105 | 105SX* | 490 | | | | | | | | | | | | | | | | |
| 125 | 125SX* | 503 | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|----------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | |
| 50 | 50Jr/SrAdventure* | | | | | | | 4800 | 4800 | | | | | | | | |
| | 50Jr/Sr/MiniAdventure* | 4504800 | 4800 | 4800 | 4800 | 4800 | 4800 | | | | | | | | | | |
| | 50SXProJunior* | 450 | 4800 | 5100 | 5100 | 5100 | 5100 | | | | | | | | | | |
| | 50SXProSenior* | 451 | 5100 | 5100 | 5100 | 5100 | 5100 | 5100 | 5100 | 5100 | 5100 | 5100 | 5100 | | | | |
| | 50SXProJunior*, SXMini* | 450,452 | | | | | | 5100 | 5100 | 5100 | 5100 | 5100 | 5100 | | | | |
| | Adventure, SXMiniAdv* | 450 | | | | | | | | | | | | | | | |
| | SX* | 450 | | | | | | | | | | | | | | | |
| | SX3* | 450 | | | | | | | | | | | | | | | |
| | SXR, SXRPro*, SXRPROJr/Sr* | 450 | | | | | | | | | | | | | | | |
| 65 | 65SX* | 460462 | | | | | | 4750 | 4750 | 4750 | 4750 | 4750 | 4750 | | | | |
| | 65XC* | 460 | | | | | | | | 4500 | 4500 | | | | | | |
| | 65SX* | 460 | 4750 | 4750 | 4750 | 4750 | 4750 | | | | | | | | | | |
| 80 | MX* | 490 | | | | | | | | | | | | | | | |
| | MX* | 490 | | | | | | | | | | | | | | | |
| 85 | 85SX* | 490 | | | | 4725 | 4725 | | | | | | | | | | |
| 105 | 105SX* | 490 | | | | 4725 | 4725 | | | | | | | | | | |
| 125 | 125SX* | 503 | | | | | | 5600 | 5600 | 5600 | 5600 | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 125 | DXC* | 502 | | | | | | 5750 | | | | | | | | | | |
| | MX* | 502 | | | | 5600 | 5600 | 5750 | 5750 | 5750 | | | | | | | | |
| | MX*,MXC* | 500 | 4900 | 4900 | 4900 | | | | | | | | | | | | | |
| | MXC* | 502 | | | | 5600 | | | | | | | | | | | | |
| | SIXDAY* | 502 | | | | | | | | | | 5500 | | 5500 | | | | |
| | SX*,EXC* | 502503 | | | | | | | | | 5600 | 5600 | 5600 | 5600 | 5600 | 5600 | 5600 | 5600 |
| 144 | 144SX*,150SX*, 150XC* | 515 | | | | | | | | | | | | | | | | |
| 200 | 200EXC*,XC*, XC-W* | 523 | | | | | | | | | | | | | | | | |
| | EXC*,MXC*, JackPiner* | 523 | | | | | | | | | | | | | 4000 | 4000 | 4000 | 4000 |
| 250 | 250SX* | 546,548 | | | | | | | | | | | | | | | | |
| | DXC* | 545546 | | | | 4100 | 4100 | 4075 | 4075 | 4075 | | | | | | | | |
| | EXC* | 546 | | | | | | 4015 | 4015 | 4015 | | 4000 | 4000 | 4000 | 4000 | 4000 | 3750 | |
| | MX* | 543 | 3700 | 3900 | 4025 | | | | | | | | | | | | | |
| | MX* | 545546 | | | | 4100 | 4100 | 4075 | 4075 | 4075 | | | | | | | | |
| | MXC* | 542546 | 3700 | 3900 | | | | | | | | | | | 4000 | 4000 | 3750 | |
| | SIXDAY* | 546 | | | | | | 4015 | | | | | 3750 | | | | | |
| | SX* | 546 | | | | | | | | | 4075 | 4075 | 4075 | 4075 | 4075 | 4075 | 4075 | 3750 |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|--------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | |
| 125 | DXC* | 502 | | | | | | | | | | | | | | | |
| | MX* | 502 | | | | | | | | | | | | | | | |
| | MX*,MXC* | 500 | | | | | | | | | | | | | | | |
| | MXC* | 502 | | | | | | | | | | | | | | | |
| | SIXDAY* | 502 | | | | | | | | | | | | | | | |
| | SX*,EXC* | 502503 | 5600 | 5600 | 5600 | 5600 | 5600 | | | | | | | | | | |
| 144 | 144SX*,150SX*, 150XC* | 515 | | | | | | | 5200 | 5200 | 5200 | 5200 | 5200 | | | | |
| 200 | 200EXC*,XC*, XC-W* | 523 | | | | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | |
| | EXC*,MXC*, JackPiner* | 523 | | 4000 | 4000 | 4000 | | | | | | | | | | | |
| 250 | 250SX* | 546,548 | | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | | | | |
| | DXC* | 545546 | | | | | | | | | | | | | | | |
| | EXC* | 546 | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | |
| | MX* | 543 | | | | | | | | | | | | | | | |
| | MX* | 545546 | | | | | | | | | | | | | | | |
| | MXC* | 542546 | 3750 | | | | | | | | | | | | | | |
| | SIXDAY* | 546 | | | | | | | | | | | | | | | |
| | SX* | 546 | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|----------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 250 | SX-F* | 770771 | | | | | | | | | | | | | | | | |
| | TXC | 546 | | | | | | | | | 3750 | | | | | | | |
| | XC*,XC-W* | 548 | | | | | | | | | | | | | | | | |
| | XC-F*,XC-F-W* | 770771 | | | | | | | | | | | | | | | | |
| 300 | 300EXC* | 547 | | | | | | | | | | | | | | | | |
| | DX*,MX*,SX* | 556 | | | | | | 4025 | 4025 | 4025 | | | | | | | | |
| | EXC* | 556 | | | | | | 3965 | 3965 | 3965 | 3550 | 3550 | 3550 | 3550 | 3550 | 3550 | 3550 | |
| | EXC*/MXC* | 547 | | | | | | | | | | | | | | | | |
| | MXC* | 556 | | | | | | | | | 3550 | 3550 | 3550 | 3550 | 3550 | 3550 | 3550 | |
| | TXC | 556 | | | | | | | 3965 | 3965 | 3965 | | | | | | | |
| | XC*,XC-W* | 556549 | | | | | | | | | | | | | | | | |
| 350 | EXC* | 555 | | | | | 3600 | 3600 | | | | | | | | | | |
| | MX*,MXC* | 555 | 3700 | 3600 | 4025 | 3250 | 3250 | | | | | | | | | | | |
| | SX-F,XC-F* | 772 | | | | | | | | | | | | | | | | |
| 360 | SX*,EXC*,MXC* | 547 | | | | | | | | | | | 3600 | 3600 | | | | |
| 380 | EXC*,MXC*,SX* | 547 | | | | | | | | | | | | | 3550 | 3550 | 3550 | |
| 400 | EXC* | 576595 | | | | | | | | | | 3800 | 3800 | 3800 | 3800 | 3500 | 3500 | 3500 |
| | LC4 | 575 | | | | | | | | | | | | | | | | |
| | LC4EXC*, RXC,RXCe | 576 | | | | | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|----------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|------|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 250 | SX-F* | 770771 | | | | | | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | | | | | |
| | TXC | 546 | | | | | | | | | | | | | | | | |
| | XC*,XC-W* | 548 | | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | |
| | XC-F*,XC-F-W* | 770771 | | | | | | | 4800 | 4800 | 4800 | 4800 | 4800 | | | | | |
| 300 | 300EXC* | 547 | | | | | | 3550 | 3550 | 3550 | 3550 | | | | | | | |
| | DX*,MX*,SX* | 556 | | | | | | | | | | | | | | | | |
| | EXC* | 556 | | | | | | | | | | | | | | | | |
| | EXC*/MXC* | 547 | 3550 | 3550 | 3550 | 3550 | 3550 | | | | | | | | | | | |
| | MXC* | 556 | | | | | | | | | | | | | | | | |
| | TXC | 556 | | | | | | | | | | | | | | | | |
| | XC*,XC-W* | 556549 | | | | | | | 3550 | 3550 | 3550 | 3550 | 3550 | 3550 | | | | |
| | 350 | EXC* | 555 | | | | | | | | | | | | | | | |
| | MX*,MXC* | 555 | | | | | | | | | | | | | | | | |
| | SX-F,XC-F* | 772 | | | | | | | | | | | | | | 5000 | | |
| 360 | SX*,EXC*,MXC* | 547 | | | | | | | | | | | | | | | | |
| 380 | EXC*,MXC*,SX* | 547 | 3550 | 3550 | | | | | | | | | | | | | | |
| 400 | EXC* | 576595 | | | | | | | | | | | | | | | | |
| | LC4 | 575 | 3500 | | | | | | | | | | | | | | | |
| | LC4EXC*, RXG,RXGe | 576 | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|---|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 400 | MXC*Racing | 595 | | | | | | | | | | | | | | | | |
| | SX*,EXC*Racing | 595 | | | | | | | | | | | | | | | | |
| | SX*,TXC | 576 | | | | | | | | | | | | | | 3500 | | |
| | XC-W* | 595 | | | | | | | | | | | | | | | | |
| 440 | EXC*,MXC* | 565 | | | | | | | | | | 3250 | 3250 | | | | | |
| 450 | 450EXC | 595,780 | | | | | | | | | | | | | | | | |
| | 450EXCRacing*, SX*,XCRacing*, XC*,XC-W* | 595,773 | | | | | | | | | | | | | | | | |
| | 450SMR*,SMC* | 595 | | | | | | | | | | | | | | | | |
| | 450XC-Wsix Days* | 780 | | | | | | | | | | | | | | | | |
| | SX*,MXC*, EXC*Racing | 595 | | | | | | | | | | | | | | | | |
| 500 | GS | 565 | 3250 | 2950 | | | | | | | | | | | | | | |
| | MX/MXC* | 565 | 3250 | 2950 | 4025 | 2950 | 2950 | 4450 | 4450 | | | | | | | | | |
| | SX* | 565 | | | | | | | | 3250 | | | | | | | | |
| 505 | 505SX* | 592 | | | | | | | | | | | | | | | | |
| | 505SX-F*,XC-F* | 773 | | | | | | | | | | | | | | | | |
| 540 | DXC* | 565 | | | | | | 4375 | 4375 | | | | | | | | | |
| 550 | DXC*,E550MXC* | 565 | | | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|---|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|------|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 400 | MXC*Racing | 595 | 4625 | 4625 | | | | | | | | | | | | | | | |
| | SX*,EXC*Racing | 595 | 4625 | 4625 | | 4625 | 4625 | | | | | | | | | | | | |
| | SX*,TXC | 576 | | | | | | | | | | | | | | | | | |
| | XC-W* | 595 | | | | | 4625 | 4625 | | | 4625 | 4625 | | | | | | | |
| 440 | EXC*,MXC* | 565 | | | | | | | | | | | | | | | | | |
| 450 | 450EXC | 595,780 | | | | | | | 3400 | 3400 | 3400 | 3400 | 3400 | | | | | | |
| | 450EXCRacing*, SX*,XCRacing*, XC*,XC-W* | 595,773 | | | | | | 4625 | 4625 | 4625 | 4625 | 4625 | 4625 | | | | | | |
| | 450SMR*,SMC* | 595 | | | | | | 4625 | 4625 | 4625 | | | | | | | | | |
| | 450XC-Wsix Days* | 780 | | | | | | | | | | | | | | | | | 3400 |
| | SX*,MXC*, EXC*Racing | 595 | | | 4625 | 4625 | 4625 | | | | | | | | | | | | |
| 500 | GS | 56 | | | | | | | | | | | | | | | | | |
| | MX/MXC* | 565 | | | | | | | | | | | | | | | | | |
| | SX* | 565 | | | | | | | | | | | | | | | | | |
| 505 | 505SX* | 592 | | | | | | | | 4600 | 4600 | | | | | | | | |
| | 505SX-F*,XC-F* | 773 | | | | | | | | 4625 | 4625 | 4625 | | | | | | | |
| 540 | DXC* | 565 | | | | | | | | | | | | | | | | | |
| 550 | DXC*,E550MXC* | 565 | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 560 | 560SMR* | 590 | | | | | | | | | | | | | | | | |
| 625 | 625SXC | 584 | | | | | | | | | | | | | | | | |
| | 625SMC* | 584 | | | | | | | | | | | | | | | | |
| 640 | LC4DUAL | 584 | | | | | | | | | | | | | | | 3450 | 3450 |
| | LC4Supermoto* | 584 | | | | | | | | | | | | | | | | |
| | LC4, LC4ADVENTURER | 584 | | | | | | | | | | | | | | | 3450 | 3450 |
| | LC4Supermoto | 584 | | | | | | | | | | | | | | | | |
| 690 | SM,Enduro, Duke,SMC | | | | | | | | | | | | | | | | | |
| | SM,Enduro, Duke,SMC | 765 | | | | | | | | | | | | | | | | |
| 950 | LC8Adventure | 600 | | | | | | | | | | | | | | | | |
| | Adventure, AdventureS, Supermoto, SuperEnduro | 600 | | | | | | | | | | | | | | | | |
| 990 | Adventure, AdventureS, SuperDuke, SuperDukeR | 600,601 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | 2012 | 2013 | 2014 | 2015 | 2016 | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 560 | 560SMR* | 590 | | | | | | 4600 | 4600 | | | | | | | | | | |
| 625 | 625SXC | 584 | | | | 3450 | 3450 | | | | | | | | | | | | |
| | 625SMC* | 584 | | | | | | 3450 | | | | | | | | | | | |
| 640 | LC4DUAL | 584 | | | | | | | | | | | | | | | | | |
| | LC4Supermoto* | 584 | 3450 | 3450 | | 3450 | 3450 | | | | | | | | | | | | |
| | LC4, LC4ADVENTURER | 584 | 3450 | 3450 | 3450 | | 3450 | | | | | | | | | | | | |
| | LC4Supermoto | 584 | | | | | | 3450 | | | | | | | | | | | |
| 690 | SM,Enduro, Duke,SMC | | | | | | | | | 3425 | 3425 | 3425 | 3425 | | | | | | |
| | SM,Enduro, Duke,SMC | 765 | | | | | | | | | | | | | | | | | 3425 |
| 950 | LC8Adventure | 600 | | | | 4750 | 4750 | | | | | | | | | | | | |
| | Adventure, AdventureS, Supermoto, SuperEnduro | 600 | | | | | | | 4750 | 4750 | 4750 | 4750 | | | | | | | |
| 990 | Adventure, AdventureS, SuperDuke, SuperDukeR | 600,601 | | | | | | | | 4750 | 4750 | 4750 | 4750 | 4750 | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-----------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 990 | SuperMotoR, SupermotoT | 626 | | | | | | | | | | | | | | | | |
| 1190 | RC8,RC8R | 693 | | | | | | | | | | | | | | | | |
| 520/525 | SX*,MXC*, EXC* Racing | 590 | | | | | | | | | | | | | | | | |
| 525/529 | 525,530EXC, XC-W* | 590,786 | | | | | | | | | | | | | | | | |
| 525/530 | EXCRacing*,SX*, XCRacing*,SMC* | 590 | | | | | | | | | | | | | | | | |
| 600/620 | EXC*/DXC* MX/MXC* | 580 | | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | | |
| 600/621 | LC4EXC*/ RXC*/RXCe* | 583 | | | | | | | | | | 3625 | 3625 | 3625 | 3625 | 3625 | | |
| 600/622 | SX*/TXC | 583 | | | | | | | | | | | 3625 | 3625 | 3625 | | | |
| 85/105 | 85SX*,105SX* | 490,470,475 | | | | | | | | | | | | | | | | |
| 85/106 | 85XC*,105XC* | 490 | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 990 | SuperMotoR, SupermotoT | 626 | | | | | | | | | | | | | 4500 | | | | |
| 1190 | RC8,RC8R | 693 | | | | | | | | | 4750 | 4750 | 4750 | 4750 | | | | | |
| 520/525 | SX*,MXC*, EXC*Racing | 590 | 4600 | 4600 | 4600 | 4600 | 4600 | | | | | | | | | | | | |
| 525/529 | 525,530EXC, XC-W* | 590,786 | | | | | | | | 3380 | 3380 | 3380 | 3380 | 3380 | | | | | |
| 525/530 | EXCRacing*,SX*, XCRacing*,SMC* | 590 | | | | | | 4600 | 4600 | 4600 | 4600 | | | | | | | | |
| 600/620 | EXC*/DXC* MX/MXC* | 580 | | | | | | | | | | | | | | | | | |
| 600/621 | LC4EXC*/ RXC*/RXCe* | 583 | | | | | | | | | | | | | | | | | |
| 600/622 | SX*/TXC | 583 | | | | | | | | | | | | | | | | | |
| 85/105 | 85SX*,105SX* | 490,470,475 | | | | | | | 4725 | 4725 | 4725 | 4750 | 4750 | 4750 | | | | | |
| 85/106 | 85XC*,105XC* | 490 | | | | | | | | | 4450 | 4450 | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 450 | XC-ATV | 830 | | | | | | | | | | | | | | | | |
| 525 | XC-ATV | 831 | | | | | | | | | | | | | | | | |
| 450 | SX-ATV | 835 | | | | | | | | | | | | | | | | |
| 505 | SX-ATV | 836 | | | | | | | | | | | | | | | | |

KYMCO (ATV)

| | | | | | | | | | | | | | | | | | | |
|-----|---------------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 50 | Mongoose 50 | LA10 | | | | | | | | | | | | | | | | |
| 70 | Mongoose 70 | LA15 | | | | | | | | | | | | | | | | |
| 90 | Mongoose 90 | LA20 | | | | | | | | | | | | | | | | |
| | Mongoose 90 R | LA20 | | | | | | | | | | | | | | | | |
| 150 | MXU 150 | LA30 | | | | | | | | | | | | | | | | |
| 250 | Mongoose 250 | LA50 | | | | | | | | | | | | | | | | |
| | MXU 250 | LB50 | | | | | | | | | | | | | | | | |
| 300 | Mongoose 300 | LA60 | | | | | | | | | | | | | | | | |
| | MXU 300 | LB60 | | | | | | | | | | | | | | | | |
| 375 | MXU 375 | LA70 | | | | | | | | | | | | | | | | |
| | Maxxer 375 | LB70 | | | | | | | | | | | | | | | | |
| 500 | MXU 500 | LAA | | | | | | | | | | | | | | | | |
| | MXU 500 IRS | LAA | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

KTM (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|--------|---------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | |
| 450 | XC-ATV | 830 | | | | | | | | | 3400 | 3400 | | | | | |
| 525 | XC-ATV | 831 | | | | | | | | | 3400 | 3400 | | | | | |
| 450 | SX-ATV | 835 | | | | | | | | | | | 3800 | | | | |
| 505 | SX-ATV | 836 | | | | | | | | | | | 3600 | | | | |

KYMCO (ATV)

| | | | | | | | | | | | | | | | | | |
|-----|---------------|------|--|--|--|--|--|--|--|------|------|------|------|------|--|--|--|
| 50 | Mongoose 50 | LA10 | | | | | | | | 3750 | 3750 | 3750 | | | | | |
| 70 | Mongoose 70 | LA15 | | | | | | | | 3750 | 3750 | 3750 | | | | | |
| 90 | Mongoose 90 | LA20 | | | | | | | | 3750 | 3750 | | | | | | |
| | Mongoose 90 R | LA20 | | | | | | | | | | 3750 | 3750 | 3750 | | | |
| 150 | MXU 150 | LA30 | | | | | | | | 3875 | 3875 | 3875 | 3875 | 3875 | | | |
| 250 | Mongoose 250 | LA50 | | | | | | | | 3500 | 3500 | 3500 | | | | | |
| | MXU 250 | LB50 | | | | | | | | 3500 | 3500 | 3500 | | | | | |
| 300 | Mongoose 300 | LA60 | | | | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | | | |
| | MXU 300 | LB60 | | | | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | | | |
| 375 | MXU 375 | LA70 | | | | | | | | | 3250 | 3250 | 3250 | 3250 | | | |
| | Maxxer 375 | LB70 | | | | | | | | | | | 3250 | 3250 | | | |
| 500 | MXU 500 | LAA | | | | | | | | 3250 | 3250 | 3250 | | | | | |
| | MXU 500 IRS | LAA | | | | | | | | | | | 3250 | 3250 | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|----------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 50 | Predator50/ Scrambler50 | AR03-01 | | | | | | | | | | | | | | | | |
| | Predator50- 2Stroke | AR03-01 | | | | | | | | | | | | | | | | |
| | Predator50- 4Stroke | RF3KA05 | | | | | | | | | | | | | | | | |
| | Outlaw50-4Stroke | RF3KA05 | | | | | | | | | | | | | | | | |
| 90 | Predator90 | AR07 | | | | | | | | | | | | | | | | |
| | Scrambler90 | AR07-01 | | | | | | | | | | | | | | | | |
| | Sportsman90 | AR07 | | | | | | | | | | | | | | | | |
| | Outlaw90-4Stroke | RF3KA09 | | | | | | | | | | | | | | | | |
| | Predator90- 2Stroke | AR07 | | | | | | | | | | | | | | | | |
| | Sportsman90- 2Stroke | AR07 | | | | | | | | | | | | | | | | |
| | Sportsman90- 4Stroke | RF3KA09 | | | | | | | | | | | | | | | | |
| 170 | RZR170 | AC11 | | | | | | | | | | | | | | | | |
| 200 | Phoenix200 | V39 | | | | | | | | | | | | | | | | |
| | Sawtooth200 | V39 | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 50 | Predator50/Scrambler50 | AR03-01 | 3750 | 3750 | 3750 | 3000 | 3000 | | | | | | | | | | | |
| | Predator50-2Stroke | AR03-01 | | | | | | 3000 | | | | | | | | | | |
| | Predator50-4Stroke | RF3KA05 | | | | | | | 3750 | | | | | | | | | |
| | Outlaw50-4Stroke | RF3KA05 | | | | | | | | | 3750 | 3750 | 3750 | 3750 | | | | |
| 90 | Predator90 | AR07 | | | 3750 | 3000 | 3000 | | | | | | | | | | | |
| | Scrambler90 | AR07-01 | 3750 | 3750 | 3750 | | | | | | | | | | | | | |
| | Sportsman90 | AR07 | 3750 | 3750 | 3750 | 3000 | 3000 | | | | | | | | | | | |
| | Outlaw90-4Stroke | RF3KA09 | | | | | | | | 4000 | 4000 | 4000 | 4000 | 4000 | | | | |
| | Predator90-2Stroke | AR07 | | | | | | | 3000 | | | | | | | | | |
| | Sportsman90-2Stroke | AR07 | | | | | | | 3000 | | | | | | | | | |
| | Sportsman90-4Stroke | RF3KA09 | | | | | | | | 4000 | 4000 | 4000 | 4000 | | | | | |
| 170 | RZR170 | AC11 | | | | | | | | | | 3500 | 3500 | 3500 | | | | |
| 200 | Phoenix200 | V39 | | | | | 3750 | 3750 | 3750 | 3750 | | 3750 | 3750 | | | | | |
| | Sawtooth200 | V39 | | | | | | 3750 | 3750 | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-----------------------|------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 250 | Cyclone | | | | 3750 | | | | | | | | | | | | | |
| | Scrambler | | 3000 | 3000 | | | | | | | | | | | | | | |
| | TrailBoss250, 2X4,4X4 | ALL | | | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 |
| | TrailBlazer | EC25PF 07/09/11 | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | | | 3000 | 3000 | 3000 |
| | TrailBlazerES | EC25PFE09 | | | | | | | | | | | 3000 | 3000 | | | | |
| | TrailBlazer | EC25PFE15 | | | | | | | | | | | | | | | | |
| | Xplorer4x4 | EC25PFE15 | | | | | | | | | | | | | | | | |
| 300 | 2X4300,4X4300 | EC28PFE01 | | | | | | | | | | 2750 | 2750 | | | | | |
| | Xplorer300 | EC28PFE 01/02 | | | | | | | | | | | | 2750 | 2750 | 2750 | 2750 | |
| | Xpress300 | EC28PFE 01/02 | | | | | | | | | | | | 2750 | 2750 | 2750 | 2750 | |
| | Hawkeye300 | ES30P | | | | | | | | | | | | | | | | |
| | Sportsman300 | ES30P | | | | | | | | | | | | | | | | |
| 325 | Magnum325 | ES32PFE 01/04/05 | | | | | | | | | | | | | | | | 3000 |
| | TrailBoss325 | ES32PFE 01/04/05/09 | | | | | | | | | | | | | | | | 3000 |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-----------------------|------------------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 250 | Cyclone | | | | | | | | | | | | | | | | | |
| | Scrambler | | | | | | | | | | | | | | | | | |
| | TrailBoss250, 2X4,4X4 | ALL | | | | | | | | | | | | | | | | |
| | TrailBlazer | EC25PF 07/09/11 | | | | | | | | | | | | | | | | |
| | TrailBlazerES | EC25PFE09 | | | | | | | | | | | | | | | | |
| | TrailBlazer | EC25PFE15 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | | | | | | | | | | |
| | Xplorer4x4 | EC25PFE15 | 3000 | 3000 | | | | | | | | | | | | | | |
| 300 | 2X4300,4X4300 | EC28PFE01 | | | | | | | | | | | | | | | | |
| | Xplorer300 | EC28PFE 01/02 | | | | | | | | | | | | | | | | |
| | Xpress300 | EC28PFE 01/02 | | | | | | | | | | | | | | | | |
| | Hawkeye300 | ES30P | | | | | | | 3375 | 3375 | | | | | | | | |
| | Sportsman300 | ES30P | | | | | | | | | 3375 | 3375 | 3375 | | | | | |
| 325 | Magnum325 | ES32PFE 01/04/05 | | | | | | | | | | | | | | | | |
| | TrailBoss325 | ES32PFE 01/04/05/09 | 3000 | 3000 | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-------------------------|------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 325 | Magnum325 2X4, 4X4 | ES32PFE08 | | | | | | | | | | | | | | | | |
| | Xpedition325 | ES32PFE03 | | | | | | | | | | | | | | | | |
| 330 | ATP330 | ES32P10 | | | | | | | | | | | | | | | | |
| | Magnum330 2X4, 4X4 | ES32P10 | | | | | | | | | | | | | | | | |
| | Magnum3302X4 | ES32P10 | | | | | | | | | | | | | | | | |
| | Magnum3304X4 | ES32P10 | | | | | | | | | | | | | | | | |
| | TrailBoss330 | ES32P10 | | | | | | | | | | | | | | | | |
| | TrailBlazer330 | ES32P10 | | | | | | | | | | | | | | | | |
| 335 | Sportsman335 | ES33PFE 01/02 | | | | | | | | | | | | | | | 3000 | 3000 |
| 350 | TrailBoss2X4 | EC35PL02 | | | | | | 2900 | 2900 | 2900 | | | | | | | | |
| | TrailBoss4X4 | EC35PL02 | | | | | | 2900 | 2900 | 2900 | 2900 | | | | | | | |
| 400 | 2X4400L | EC38PLE01 | | | | | | | | | | 2750 | 2750 | | | | | |
| | 4X4400L | EC38PLE01 | | | | | | | | | | 2750 | | | | | | |
| | Scrambler 4X4/400L | EC38PLE 03/05/07/09 | | | | | | | | | | | 2850 | 2850 | 2850 | 2850 | 2850 | 2850 |
| | Scrambler400 2X4,4X4 | EC38PLE09 | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|-------------------------|------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | |
| 325 | Magnum325 2X4, 4X4 | ES32PFE08 | 3000 | 3000 | | | | | | | | | | | | | |
| | Xpedition325 | ES32PFE03 | 3000 | 3000 | | | | | | | | | | | | | |
| 330 | ATP330 | ES32P10 | | | | | 3375 | | | | | | | | | | |
| | Magnum330 2X4, 4X4 | ES32P10 | | | 3375 | 3375 | 3375 | | | | | | | | | | |
| | Magnum3302X4 | ES32P10 | | | | | | 3375 | | | | | | | 3375 | | |
| | Magnum3304X4 | ES32P10 | | | | | | 3375 | | | | | | | | | |
| | TrailBoss330 | ES32P10 | | | 3375 | 3375 | 3375 | 3375 | 3375 | 3375 | 3375 | 3375 | | | | | |
| | TrailBlazer330 | ES32P10 | | | | | | | | | 3375 | 3375 | 3375 | 3375 | | | |
| 335 | Sportsman335 | ES33PFE 01/02 | | | | | | | | | | | | | | | |
| 350 | TrailBoss2X4 | EC35PL02 | | | | | | | | | | | | | | | |
| | TrailBoss4X4 | EC35PL02 | | | | | | | | | | | | | | | |
| 400 | 2X4400L | EC38PLE01 | | | | | | | | | | | | | | | |
| | 4X4400L | EC38PLE01 | | | | | | | | | | | | | | | |
| | Scrambler 4X4/400L | EC38PLE 03/05/07/09 | | | | | | | | | | | | | | | |
| | Scrambler400 2X4,4X4 | EC38PLE09 | 3000 | 3000 | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|---------------------|------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | |
| 400 | Sport400/400L | EC38PLE 03/05/07/09 | | | | | | | | | | | 2850 | 2850 | 2850 | 2850 | 2850 | | |
| | Sportsman 4X4/400L | EC38PLE0 1/04/06 | | | | | | | | | | | 2750 | 2750 | 2750 | 2750 | | | |
| | Sportsman400 | EH42P05 | | | | | | | | | | | | | | | | | |
| | TrailBlazer400 | EC38PLE | | | | | | | | | | | | | | | | | |
| | Xplorer4X4/400L/400 | EC38PLE | | | | | | | | | | | | 2750 | 2750 | 2750 | 2750 | 2750 | 2750 |
| | Xpress400L | EC38PLE 04/06 | | | | | | | | | | | | | 2750 | 2750 | | | |
| 425 | Magnum2X4 | EH42PLE 01/02 | | | | | | | | | | | | 3000 | 3000 | 3000 | 3000 | | |
| | Magnum4X4 | EH42PLE 01/02 | | | | | | | | | | | | 3000 | 3000 | 3000 | 3000 | | |
| | Xpedition425 | EH42PLE04 | | | | | | | | | | | | | | | | 3000 | |
| 500 | ATP500 | EH50P20 | | | | | | | | | | | | | | | | | |
| | Diesel | DW46PLE 01/02 | | | | | | | | | | | | | | | | 2000 | 2000 |
| | Magnum 500/RMK | EH50P04/08 | | | | | | | | | | | | | | | | 3000 | 3000 |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|---------------------|------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
| | | | Model Year | | | | | | | | | | | 2012 | 2013 | 2014 | 2015 | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 400 | Sport400/400L | EC38PLE 03/05/07/09 | | | | | | | | | | | | | | | | | |
| | Sportsman 4X4/400L | EC38PLE0 1/04/06 | | | | | | | | | | | | | | | | | |
| | Sportsman400 | EH42P05 | 3000 | 3000 | 3000 | 3000 | 3000 | | | | | | | | | | | | |
| | TrailBlazer400 | EC38PLE | | | 3000 | | | | | | | | | | | | | | |
| | Xplorer4X4/400L/400 | EC38PLE | 2750 | 2750 | | | | | | | | | | | | | | | |
| | Xpress400L | EC38PLE 04/06 | | | | | | | | | | | | | | | | | |
| 425 | Magnum2X4 | EH42PLE 01/02 | | | | | | | | | | | | | | | | | |
| | Magnum4X4 | EH42PLE 01/02 | | | | | | | | | | | | | | | | | |
| | Xpedition425 | EH42PLE04 | 3000 | 3000 | | | | | | | | | | | | | | | |
| 500 | ATP500 | EH50P20 | | | | 3250 | 3250 | | | | | | | | | | | | |
| | Diesel | DW46PLE 01/02 | 2000 | 2000 | | | | | | | | | | | | | | | |
| | Magnum 500/RMK | EH50P04/08 | 3000 | 3000 | 3000 | 3000 | 3000 | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--|------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 500 | Predator500 | ES50P01 | | | | | | | | | | | | | | | | |
| | Scrambler500 | EM50PLE 02/04 | | | | | | | | | | | | | 3250 | 3250 | 3250 | 3250 |
| | Sportsman500 | EM50PLE 01/05/07/09 | | | | | | | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 |
| | Scrambler500 2x4 | EH50PLE12 | | | | | | | | | | | | | | | | |
| | Scrambler500 4x4 | EH50P02/04 | | | | | | | | | | | | | | | | |
| | Sportsman500HO | EH50P13 | | | | | | | | | | | | | | | | |
| | Sportsman6x6 | EH50P10 | | | | | | | | | | | | | | | | |
| | Xplorer500 | EM50PLE07 | | | | | | | | | | | | | 3000 | | | |
| | ATP500 | EH50P20 | | | | | | | | | | | | | | | | |
| | Predator500 | ES50P01 | | | | | | | | | | | | | | | | |
| | Outlaw500 | ES50P04 | | | | | | | | | | | | | | | | |
| | Scrambler5004x4 | EH50P04 | | | | | | | | | | | | | | | | |
| | Sportsman 500EFI/500EFI Touring/500EFIX2 | EH50P21 | | | | | | | | | | | | | | | | |
| Sportsman500H.O. | EH50P13 | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|----------------------------|------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|------|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 500 | Predator500 | ES50P01 | | | 4000 | 4000 | 4000 | | | | | | | | | | | | |
| | Scrambler500 | EM50PLE 02/04 | | | | | | | | | | | | | | | | | |
| | Sportsman500 | EM50PLE 01/05/07/09 | | | | | | | | | | | | | | | | | |
| | Scrambler500 2x4 | EH50PLE12 | 3250 | 3250 | | | | | | | | | | | | | | | |
| | Scrambler500 4x4 | EH50P02/04 | 3150 | 3150 | 3150 | 3150 | 3150 | | | | | | | | | | | | |
| | Sportsman500HO | EH50P13 | 3150 | 3150 | 3150 | 3150 | 3150 | | | | | | | | | | | | |
| | Sportsman6x6 | EH50P10 | 3000 | 3000 | 3000 | 3000 | 3000 | | | | | | | | | | | | |
| | Xplorer500 | EM50PLE07 | | | | | | | | | | | | | | | | | |
| | ATP500 | EH50P20 | | | | | | | 3250 | | | | | | | | | | 3250 |
| | Predator500 | ES50P01 | | | | | | | 4000 | 4000 | | | | | | | | | |
| | Outlaw500 | ES50P04 | | | | | | | 4000 | 4000 | | | | | | | | | |
| | Scrambler5004x4 | EH50P04 | | | | | | | 3150 | 3150 | 3150 | 3150 | 3150 | | | | | | |
| | Sportsman 500EF1/500EF1 | | | | | | | | | | | | | | | | | | |
| | Touring/500EFIX2 | EH50P21 | | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | |
| Sportsman500H.O. | EH50P13 | | | | | | | 3150 | | 3150 | 3150 | 3150 | 3250 | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-----------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 500 | Sportsman500 6x6 | EH50P10 | | | | | | | | | | | | | | | | |
| | Ranger500 | EH500PLE | | | | | | | | | | | | | | | | |
| 525 | Outlaw525 | ES051KLE | | | | | | | | | | | | | | | | |
| 550 | Sportsman550 | ES550PLE | | | | | | | | | | | | | | | | |
| | Sportsman550X2 | ES550PLE | | | | | | | | | | | | | | | | |
| | Sportsman550 Touring | ES550PLE | | | | | | | | | | | | | | | | |
| 600 | Sportsman600 | EH59P11 | | | | | | | | | | | | | | | | |
| 700 | Sportsman700 | EH68P15 | | | | | | | | | | | | | | | | |
| | Sportsman700EF | EH68P21 | | | | | | | | | | | | | | | | |
| | Sportsman700EFI/ EFI Touring | EH680PLE | | | | | | | | | | | | | | | | |
| | Ranger700 | EH680PLE | | | | | | | | | | | | | | | | |
| 800 | Sportsman800EFI | EH76 | | | | | | | | | | | | | | | | |
| | Sportsman800/ 800X2/800Touring | EH076OLE | | | | | | | | | | | | | | | | |
| | Sportsman8006x6 | EH076OLE | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|-----------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 500 | Sportsman500 6x6 | EH50P10 | | | | | | 3000 | 3000 | 3000 | | | | 3250 | | | | | |
| | Ranger500 | EH500PLE | | | | | | | | 3000 | 3000 | 3000 | | | | | | | |
| 525 | Outlaw525 | ES051KLE | | | | | | | | 4000 | 4000 | 4000 | 4000 | 3000 | | | | | |
| 550 | Sportsman550 | ES550PLE | | | | | | | | | | | 3250 | 3250 | 4000 | | | | |
| | Sportsman550X2 | ES550PLE | | | | | | | | | | | | 3250 | 3250 | | | | |
| | Sportsman550 Touring | ES550PLE | | | | | | | | | | | | 3250 | 3250 | | | | |
| 600 | Sportsman600 | EH59P11 | | | 3000 | 3000 | 3000 | | | | | | | | | | | | |
| 700 | Sportsman700 | EH68P15 | | 3000 | 3000 | 3000 | 3000 | | | | | | | | | | | | |
| | Sportsman700EF | EH68P21 | | | | 3000 | 3000 | | | | | | | | | | | | |
| | Sportsman700EFI/ EFI Touring | EH680PLE | | | | | | | 3000 | 3000 | 3000 | | | | 3250 | | | | |
| | Ranger700 | EH680PLE | | | | | | | 2750 | 2750 | 2750 | 2750 | | | | | | | |
| 800 | Sportsman800EFI | EH76 | | | | | 3000 | | | | | | | | | | | | |
| | Sportsman800/ 800X2/800Touring | EH076OLE | | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | | | | | | |
| | Sportsman8006x6 | EH076OLE | | | | | | | | | | | 2875 | 2875 | 3150 | | | | |
| | | | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|------------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 800 | Ranger800 6x6/800HD/ 800Crew | EH076OLE | | | | | | | | | | | | | | | | |
| | Ranger800XP | EH076OLE | | | | | | | | | | | | | | | | |
| | RZR800 | EH076OLE | | | | | | | | | | | | | | | | |
| | RZRS/S4 | EH076OLE | | | | | | | | | | | | | | | | |
| 850 | Sportsman850/ 850Touring/850x2 | EH0850LE | | | | | | | | | | | | | | | | |
| 875 | RZRXP | ES0870LE | | | | | | | | | | | | | | | | |
| 400/450 | Outlaw450MXR | ES051KLE | | | | | | | | | | | | | | | | |
| 400/451 | Sportsman400/450 | EH460PLE | | | | | | | | | | | | | | | | |
| 400/452 | Ranger400 | EH460PLE | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

POLARIS (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|------------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 800 | Ranger800 6x6/800HD/ 800Crew | EH076OLE | | | | | | | | | | | | 2875 | 3050 | | | | |
| | Ranger800XP | EH076OLE | | | | | | | | | | | | 2950 | 2875 | | | | |
| | RZR800 | EH076OLE | | | | | | | | | | 3050 | 3050 | 3050 | 2950 | | | | |
| | RZRS/S4 | EH076OLE | | | | | | | | | | | 3150 | 3150 | 3050 | | | | |
| 850 | Sportsman850/ 850Touring/850x2 | EH0850LE | | | | | | | | | | | 3500 | 3500 | 3150 | | | | |
| 875 | RZRXP | ES0870LE | | | | | | | | | | | | | 3500 | | | | |
| 400/450 | Outlaw450MXR | ES051KLE | | | | | | | | | | 4250 | 4250 | 4250 | 3375 | | | | |
| 400/451 | Sportsman400/450 | EH460PLE | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | |
| 400/452 | Ranger400 | EH460PLE | | | | | | | | | | | 3250 | 3250 | | | | | |
| | | | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | | | |
|---------------------|----------------------|--------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | | | |
| 50 | JR50 | A102 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 2500 | 2500 | 2500 | 2500 | 2500 | | |
| 60 | RM60* | KX060BE/CE | | | | | | | | | | | | | | | | | | | |
| 65 | RM65* | KX65B | | | | | | | | | | | | | | | | | | | |
| 70 | DR-Z70 | B401 | | | | | | | | | | | | | | | | | | | |
| 80 | DS80,JR80 | C106,A102 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | |
| | RM80* | D101 | 6000 | 6000 | | | | | | | | | | | | | | | | | |
| | RM80* | D104/E106 | | | 6250 | 6250 | 6000 | | | | | | | | | | | | | | |
| | RM80* | D106 | | | | | | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6125 | 6125 | 6125 | 6125 | 6125 | 6125 | |
| 85 | RM85*,RM85L* | D107 | | | | | | | | | | | | | | | | | | | |
| 100 | RM100* | KX100CE | | | | | | | | | | | | | | | | | | | |
| | DR100 | E403 | 4750 | 4750 | 4750 | 4750 | 4750 | 4750 | | | | | | | | | | | | | |
| 110 | DR-Z110 | LX110A, LX110BE | | | | | | | | | | | | | | | | | | | |
| 125 | DR125,DR125SE | F413,F417 | | 4750 | 4750 | 4750 | | | | | | | 4750 | 4750 | 4650 | | | | | | |
| | DR-Z125, DR-Z125L | F445 | | | | | | | | | | | | | | | | | | | |
| | RM125* | F108 | 5625 | 5625 | | | | | | | | | | | | | | | | | |
| | RM125* | F113,F114, F134 | | | | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 |
| | SP125 | F413 | | 4750 | 4750 | 4750 | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|----------------------|--------------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 50 | JR50 | A102 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | | | | | | | | | | |
| 60 | RM60* | KX060BE/CE | | | 5250 | 5250 | | | | | | | | | | | | |
| 65 | RM65* | KX65B | | | 6250 | 6250 | 6250 | 6250 | | | | | | | | | | |
| 70 | DR-Z70 | B401 | | | | | | | | | 4000 | 4000 | 4000 | | | | | |
| 80 | DS80,JR80 | C106,A102 | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | |
| | RM80* | D101 | | | | | | | | | | | | | | | | |
| | RM80* | D104/E106 | | | | | | | | | | | | | | | | |
| | RM80* | D106 | 6125 | | | | | | | | | | | | | | | |
| 85 | RM85*,RM85L* | D107 | | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | | | | | |
| 100 | RM100* | KX100CE | | | | 5750 | | | | | | | | | | | | |
| | DR100 | E403 | | | | | | | | | | | | | | | | |
| 110 | DR-Z110 | LX110A, | | | | | | | | | | | | | | | | |
| | | LX110BE | | | 3500 | 3500 | | 3500 | | | | | | | | | | |
| 125 | DR125,DR125SE | F413,F417 | | | | | | | | | | | | | | | | |
| | DR-Z125, DR-Z125L | F445 | | | 4000 | 4000 | 4000 | | | | | | | | | | | |
| | RM125* | F108 | | | | | | | | | | | | | | | | |
| | RM125* | F113,F114, F134 | 5750 | 5750 | 5750 | 5750 | 5750 | | | | | | | | | | | |
| | SP125 | F413 | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|-------------------------|------------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 |
| 125 | DR-Z125, DR-Z125L | F445 | | | | | | | | | | | | | | | |
| | RM125* | F134 | | | | | | | | | | | | | | | |
| 200 | DR200,DR200SE, SP200 | H401/H402 | | 4250 | 4250 | 4250 | | | | | | | 4250 | 4250 | 4250 | 4250 | 4250 |
| | DR200SE | H402 | | | | | | | | | | | | | | | |
| 250 | DR250,SP250 | J402,J401 | 4250 | | | | | | | | | | | | | | |
| | DR250,DR250SE | J419 | | | | | | 4100 | 4100 | 4100 | 4100 | 4100 | 4100 | | | | |
| | DR-Z250 | J428 | | | | | | | | | | | | | | | |
| | RM250* | J102,J106, J110,J115,J119 | | | | | | | | | | | 4000 | 4000 | 4000 | 4000 | 4000 |
| | RMX250 | J111 | | | | | 3250 | 3250 | 3250 | 3250 | | | | | | | |
| | RMX250 | J112 | | | | | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | |
| | RM-Z250* | KX250NE | | | | | | | | | | | | | | | |
| | RM-250* | J119 | | | | | | | | | | | | | | | |
| | RM-Z250* | KX250NE, J442 | | | | | | | | | | | | | | | |
| 350 | DR350 | K404 | | | | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 |
| | DR350SE | K404 | | | | | | 4000 | 4000 | 4000 | 4000 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|-------------------------|------------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | |
| 125 | DR-Z125, DR-Z125L | F445 | | | | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | |
| | RM125* | F134 | | | | | | 5750 | 5750 | 5650 | | | | | | | |
| 200 | DR200,DR200SE, SP200 | H401/H402 | 4250 | 4250 | 4250 | 4250 | 4250 | | | | | | | | | | |
| | DR200SE | H402 | | | | | | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | | | | |
| 250 | DR250,SP250 | J402,J401 | | | | | | | | | | | | | | | |
| | DR250,DR250SE | J419 | | | | | | | | | | | | | | | |
| | DR-Z250 | J428 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | | | |
| | RM250* | J102,J106, J110,J115,J119 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | | | | | |
| | RMX250 | J111 | | | | | | | | | | | | | | | |
| | RMX250 | J112 | | | | | | | | | | | | | | | |
| | RM-Z250* | KX250NE | | | | 5500 | 5500 | | | | | | | | | | |
| | RM-250* | J119 | | | | | | 4000 | 4000 | 4000 | | | | | | | |
| | RM-Z250* | KX250NE, J442 | | | | | | 5500 | 5500 | 5500 | 5500 | | | | | | |
| | RM-Z250* | J445 | | | | | | | | | | | 5750 | 5750 | | | |
| 350 | DR350 | K404 | | | | | | | | | | | | | | | |
| | DR350SE | K404 | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------------------------|--------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 400 | DR-Z400, DRZ400E | K416/K417 | | | | | | | | | | | | | | | | 4000 |
| | DR-Z400S, DR-Z400E | K419 | | | | | | | | | | | | | | | | 3750 |
| | DRZ400/E | K417,K419 | | | | | | | | | | | | | | | | |
| | DRZ400S/E, DRZ400S/SM | K419 | | | | | | | | | | | | | | | | |
| 450 | RM-Z450/Z* | L401,L405 | | | | | | | | | | | | | | | | |
| | RMX450Z | L407 | | | | | | | | | | | | | | | | |
| 650 | DR650S, DR650SE | P403,P407, P409 | | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 |
| | DR650SE | P409 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|-----------------------|-----------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 400 | DR-Z400, DRZ400E | K416/K417 | 4000 | 4000 | 4000 | 4000 | | | | | | | | | | | | | |
| | DR-Z400S, DR-Z400E | K419 | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | | |
| | DRZ400/E | K417,K419 | | | | | | 4000 | 4000 | | | | | | | | | | |
| | DRZ400S/E, DRZ400S/SM | K419 | | | | | | | 3750 | 3750 | | 3750 | 3750 | 3750 | | | | | |
| 450 | RM-Z450/Z* | L401,L405 | | | | | | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | | | | | | |
| | RMX450Z | L407 | | | | | | | | | | | 3250 | 3250 | | | | | |
| 650 | DR650S, DR650SE | P403,P407, P409 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | | | | | | |
| | DR650SE | P409 | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | |
| | | | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------------------------------|------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 50 | LT50,LT-A50 | A110 | 2500 | 2500 | 2500 | | | | | | | | | | | | | |
| | LT-Z50/Z* QuadSportZ50 | AZ413,Z402 | | | | | | | | | | | | | | | | |
| 80 | LT80Quad Sport80 | C113 | | | 3250 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | 3500 | 3500 | 3500 | 3500 |
| 90 | LT-Z90/ ZQuadSportZ90 | D402 | | | | | | | | | | | | | | | | |
| 125 | LT/ALT125 | F410 | 3750 | 3750 | 3750 | | | | | | | | | | | | | |
| 160 | LT-F160,LT160 | G402 | | | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 |
| 185 | ALT185,LT185 | G401 | 4000 | 4000 | 4000 | | | | | | | | | | | | | |
| 230 | LT230GE, LT230S, LT-F230 | J410, J411, J412 | 4000 | 4000 | 4000 | 4000 | | | | | | | | | | | | |
| | LT230E | J416 | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | |
| 250 | LT250E/EF | J409 | 4000 | 4000 | | | | | | | | | | | | | | |
| | LT250R | J104,J109 | 3750 | 3750 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | |
| | LT250S | J418 | | | | | | 4000 | | | | | | | | | | |
| | LT250-4WD, LT-F250F | J413 | | | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------------------------|------------------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 50 | LT50,LT-A50 | A110 | | 2500 | 2500 | 2500 | 2500 | 2500 | | | | | | | | | | | |
| | LT-Z50/Z* QuadSportZ50 | AZ413,Z402 | | | | | | | 2550 | 2550 | 2550 | 2550 | 2550 | | | | | | |
| 80 | LT80Quad Sport80 | C113 | | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | |
| 90 | LT-Z90/ ZQuadSportZ90 | D402 | | | | | | | | 3500 | 3500 | 3500 | 3500 | | | | | | |
| 125 | LT/ALT125 | F410 | | | | | | | | | | | | | | | | | |
| 160 | LT-F160,LT160 | G402 | 4000 | | 4000 | 4000 | 4000 | | | | | | | | | | | | |
| 185 | ALT185,LT185 | G401 | | | | | | | | | | | | | | | | | |
| 230 | LT230GE, LT230S, LT-F230 | J410, J411, J412 | | | | | | | | | | | | | | | | | |
| | LT230E | J416 | | | | | | | | | | | | | | | | | |
| 250 | LT250E/EF | J409 | | | | | | | | | | | | | | | | | |
| | LT250R | J104,J109 | | | | | | | | | | | | | | | | | |
| | LT250S | J418 | | | | | | | | | | | | | | | | | |
| | LT250-4WD, LT-F250F | J413 | 3750 | 3750 | 3750 | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|---|-------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 |
| 250 | LT-F250, LTZ250 | J417, J434,J437 | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| | LT-F250Ozark | J434 | | | | | | | | | | | | | | | |
| | LT-Z250QuadSport | J437 | | | | | | | | | | | | | | | |
| 300 | LT300E | K401 | | | 4000 | 4000 | 4000 | 4000 | | | | | | | | | |
| | LTF4WDX | K403 | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| 400 | LT-A400/FEIGER | K420,K421 | | | | | | | | | | | | | | | |
| | LT-F400/FEIGER | K422,K423 | | | | | | | | | | | | | | | |
| | LT-Z400 | K428 | | | | | | | | | | | | | | | |
| | LT-A400/FEiger | K420,K421 | | | | | | | | | | | | | | | |
| | LT-F400/FEiger | K422,K423 | | | | | | | | | | | | | | | |
| | LT-A400/F/FC/FQ/ (F1)KingQuad/ AS | K433,K434, K438,K439 | | | | | | | | | | | | | | | |
| | LT-F400/F/FC/FQ KingQuad/FS | K435,K436 | | | | | | | | | | | | | | | |
| | LT-F400/F/(F1) KingQuad | K440,K441 | | | | | | | | | | | | | | | |
| | LT-Z400/Z QuadSport400 | K428,K437 | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|---|-------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 250 | LT-F250, LTZ250 | J417, J434,J437 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | |
| | LT-F250Ozark | J434 | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | |
| | LT-Z250QuadSport | J437 | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | |
| 300 | LT300E | K401 | | | | | | | | | | | | | | | | |
| | LTF4WDX | K403 | 3500 | 3500 | | | | | | | | | | | | | | |
| 400 | LT-A400/FEIGER | K420,K421 | | 3250 | 3250 | 3250 | 3250 | | | | | | | | | | | |
| | LT-F400/FEIGER | K422,K423 | | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | |
| | LT-Z400 | K428 | | | 3500 | 3500 | 3500 | | | | | | | | | | | |
| | LT-A400/FEiger | K420,K421 | | | | | | 3250 | 3250 | | | | | | | | | |
| | LT-F400/FEiger | K422,K423 | | | | | | 3500 | 3500 | | | | | | | | | |
| | LT-A400/F/FC/FQ/ (F1)KingQuad/ AS | K433,K434, K438,K439 | | | | | | | | | | 3250 | 3250 | 3250 | 3250 | | | |
| | LT-F400/F/FC/FQ KingQuad/FS | K435,K436 | | | | | | | | | | 3500 | 3500 | 3500 | | | | |
| | LT-F400/F/(F1) KingQuad | K440,K441 | | | | | | | | | | | | 3250 | 3250 | | | |
| | LT-Z400/Z QuadSport400 | K428,K437 | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|-----------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 |
| 450 | LT-R450/Z QuadRacerR450 | L402,L404 | | | | | | | | | | | | | | | |
| | LT-A450X/XC KingQuad450 | L403 | | | | | | | | | | | | | | | |
| 500 | LT500R | M102,M103 | | | 3000 | 3250 | 3250 | 3250 | | | | | | | | | |
| | LT-F500F | M405 | | | | | | | | | | | | | 3000 | 3000 | 3000 |
| | LTF-500FVinson | M411 | | | | | | | | | | | | | | | |
| | LT-F500FVinson | M411 | | | | | | | | | | | | | | | |
| | LT-A500FVinson XPW/XPZKingQuad | M409 M413 | | | | | | | | | | | | | | | |
| 700 | LT-A700X KINGQUAD | P413 | | | | | | | | | | | | | | | |
| | LT-V700F TWINPEAKS | VF700AE | | | | | | | | | | | | | | | |
| | LT-A700Z KingQuad | P413 | | | | | | | | | | | | | | | |
| 750 | LT-A750X KingQuad | R701 | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|-------------------------------------|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | |
| 450 | LT-R450/Z QuadRacerR450 | L402,L404 | | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | |
| | LT-A450X/XC KingQuad450 | L403 | | | | | | | 3250 | 3250 | 3250 | 3250 | | | | | |
| 500 | LT500R | M102,M103 | | | | | | | | | | | | | | | |
| | LT-F500F | M405 | 3000 | 3000 | | | | | | | | | | | | | |
| | LTF-500FVinson | M411 | | | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | | |
| | LT-F500FVinson | M411 | | | | | | | | | | | | | | | |
| | LT-A500FVinson | M409 | | | | | | 3000 | 3000 | | | | | | | | |
| | LT-A500X/XP/XPC/ XPW/XPZKingQuad | M413 | | | | | | | | | | | 3250 | 3250 | 3250 | | |
| 700 | LT-A700X KINGQUAD | P413 | | | | | 3000 | | | | | | | | | | |
| | LT-V700F TWINPEAKS | VF700AE | | | | | 3250 | 3250 | | | | | | | | | |
| | LT-A700Z KingQuad | P413 | | | | | | 3000 | 3000 | | | | | | | | |
| 750 | LT-A750X KingQuad | R701 | | | | | | | | 3000 | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 750 | LT-A750X/XC/XR/ XZ/XP/XPC/XPZ KingQuad | R407 | | | | | | | | | | | | | | | | |

TOMBERLIN (ATV)

| | | | | | | | | | | | | | | | | | | |
|-----|--------|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 150 | SDX150 | AAVIX.150AAL | | | | | | | | | | | | | | | | |
| 200 | SDX200 | AAVIX.200AAL | | | | | | | | | | | | | | | | |
| 300 | SDX300 | BAVIX.300AAL | | | | | | | | | | | | | | | | |
| 600 | SDX600 | BAVIX.552ACL | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

SUZUKI (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--|---------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 750 | LT-A750X/XC/XR/ XZ/XP/XPC/XPZ KingQuad | R407 | | | | | | | | | | | 3250 | 3000 | 3000 | | | | |

TOMBERLIN (ATV)

| | | | | | | | | | | | | | | | | | | | |
|-----|--------|--------------|--|--|--|--|--|--|------|--|--|------|--|--|------|--|--|--|--|
| 150 | SDX150 | AAVIX.150AAL | | | | | | | 3225 | | | | | | | | | | |
| 200 | SDX200 | AAVIX.200AAL | | | | | | | 3350 | | | | | | 3350 | | | | |
| 300 | SDX300 | BAVIX.300AAL | | | | | | | 3300 | | | 3300 | | | | | | | |
| 600 | SDX600 | BAVIX.552ACL | | | | | | | | | | | | | 3200 | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-----------|---------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 50 | DT50U/W | 3BK | | | | 4875 | 4875 | 4875 | | | | | | | | | | |
| | PW50 | 36E,3PT | 2750 | 2750 | 2750 | | | 2750 | 2750 | 2750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 |
| | TTR50E | A305E | | | | | | | | | | | | | | | | |
| 80 | BW80S/Y/U | 1RY | | | 2750 | 2750 | 2750 | 2750 | | | | | | | | | | |
| | PW80 | 21W,3RV | 2750 | | | | | | 2750 | 2750 | 2750 | 2750 | 2750 | 3750 | 3750 | 3750 | 3750 | 3750 |
| | YZ80* | 1LR,2HF, 2VE,3MK | | 5875 | 5875 | 5875 | 5875 | 5875 | 5875 | 5875 | | | | | | | | |
| | YZ80* | 58T,4ES | 6000 | | | | | | | | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 |
| | PW80 | 3RV | | | | | | | | | | | | | | | | |
| 85 | YZ85* | B111E,B118E | | | | | | | | | | | | | | | | |
| | YZ85* | B118E | | | | | | | | | | | | | | | | |
| 90 | TTR90 | B301E,B305E | | | | | | | | | | | | | | | | |
| | TTR90/E | B305E | | | | | | | | | | | | | | | | |
| 100 | RT100 | 3UL | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| 110 | TTR110 | 5B6 | | | | | | | | | | | | | | | | |
| 125 | TTR125 | E309E,E349E | | | | | | | | | | | | | | | | |
| | YZ125* | 55Y,1LX,2HG | 5500 | 5500 | 5500 | | | | | | | | | | | | | |
| | YZ125* | 2VN,3JD | | | | 5625 | 5625 | | | | | | | | | | | |
| | YZ125* | 3SR,3XJ,4DB | | | | | | 5750 | 5750 | 5750 | | | | 5750 | 5750 | 5750 | 5750 | 5750 |
| | YZ125* | 4JY | | | | | | | | | 5500 | 5500 | 5500 | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-----------|---------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 50 | DT50U/W | 3BK | | | | | | | | | | | | | | | | |
| | PW50 | 36E,3PT | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 2750 | | | | | |
| | TTR50E | A305E | | | | | | | 4250 | 4250 | 4250 | 4250 | | 4250 | | | | |
| 80 | BW80S/Y/U | 1RY | | | | | | | | | | | | | | | | |
| | PW80 | 21W,3RV | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | |
| | YZ80* | 1LR,2HF, 2VE,3MK | | | | | | | | | | | | | | | | |
| | YZ80* | 58T,4ES | 6000 | 6000 | | | | | | | | | | | | | | |
| | PW80 | 3RV | | | | | | | 3750 | | | | | | | | | |
| 85 | YZ85* | B111E,B118E | 6000 | 6000 | 6000 | 6000 | 6000 | | | | | | | | | | | |
| | YZ85* | B118E | | | | | | | 6000 | 6000 | 6000 | 6000 | 6000 | 6000 | | | | |
| 90 | TTR90 | B301E,B305E | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | |
| | TTR90/E | B305E | | | | | | | 3500 | 3500 | | | | | | | | |
| 100 | RT100 | 3UL | | | | | | | | | | | | | | | | |
| 110 | TTR110 | 5B6 | | | | | | | | | | 3750 | 3750 | 3750 | 3750 | | | |
| 125 | TTR125 | E309E,E349E | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | | | | | | |
| | YZ125* | 55Y,1LX,2HG | | | | | | | | | | | | | | | | |
| | YZ125* | 2VN,3JD | | | | | | | | | | | | | | | | |
| | YZ125* | 3SR,3XJ,4DB | | | | | | | | | | | | | | | | |
| | YZ125* | 4JY | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|----------|---------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 125 | YZ125* | E112,E116E, E118E | | | | | | | | | | | | | | | | |
| | L/LWE | E349E | | | | | | | | | | | | | | | | |
| | TTR125LW | E309E | | | | | | | | | | | | | | | | |
| | YZ125* | E118E,E120E | | | | | | | | | | | | | | | | |
| 180 | RT180 | 3VC | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | |
| 200 | BW200 | 54G,IRL | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | | |
| | IT200 | 43G,1TY | 3750 | 3750 | | | | | | | | | | | | | | |
| | TW200 | 2YG,3AW | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| | WR200R | 4BF | | | | | | | 3500 | 3500 | | | | | | | | |
| | TW200 | 3AW | | | | | | | | | | | | | | | | |
| 225 | TT225T | 1RH | | 3750 | 3750 | | | | | | | | | | | | | |
| | TTR225 | CG04W, CG04Y, G307E | | | | | | | | | | | | | | | 3750 | 3750 |
| | XT225 | 4BE | | | | | | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 |
| | TTR225 | G331E | | | | | | | | | | | | | | | | |
| 230 | TTR230 | G341E | | | | | | | | | | | | | | | | |
| 250 | TTR250 | G307E | | | | | | | | | | | | | | | 3750 | 3750 |
| | WR250F | G322E | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|----------|---------------------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 125 | YZ125* | E112,E116E, E118E | 5750 | 5750 | 5750 | 5750 | 5750 | | | | | | | | | | | | |
| | L/LWE | E349E | | | | | | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | |
| | TTR125LW | E309E | | | | | | | 4000 | 4000 | | | | | | | | | |
| | YZ125* | E118E,E120E | | | | | | 5750 | 5750 | 5750 | 5750 | 5750 | 5750 | | | | | | |
| 180 | RT180 | 3VC | | | | | | | | | | | | | | | | | |
| 200 | BW200 | 54G,IRL | | | | | | | | | | | | | | | | | |
| | IT200 | 43G,1TY | | | | | | | | | | | | | | | | | |
| | TW200 | 2YG,3AW | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | WR200R | 4BF | | | | | | | | | | | | | | | | | |
| | TW200 | 3AW | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | |
| 225 | TT225T | 1RH | | | | | | | | | | | | | | | | | |
| | TTR225 | CG04W, CG04Y, G307E | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | | | |
| | XT225 | 4BE | 4000 | 4000 | 4000 | 4000 | 4000 | 4000 | | | | | | | | | | | |
| | TTR225 | G331E | | | | | | 3750 | | | | | | | | | | | |
| 230 | TTR230 | G341E | | | | | 3750 | | 3750 | 3750 | 3750 | | | | | | | | |
| 250 | TTR250 | G307E | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | | |
| | WR250F | G322E | 5250 | 5250 | 5250 | 5250 | 5250 | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|-------------|--------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 |
| 250 | WR250Z* | 3RB,4JW,4DC | | | | | | | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | | | |
| | YZ250* | 56A,1LU,2HH | 4125 | 4125 | 4125 | | | | | | | | | | | | |
| | YZ250* | 2VM,3JE | | | | 4000 | 4000 | | | | | | | | | | |
| | YZ250* | 3SP,3XK,4DA,4JX | | | | | | 4250 | 4250 | 4250 | 4250 | 4250 | | | | | |
| | YZ250* | 4MX,4DP | | | | | | | | | | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 |
| | YZ250* | G106E,G110E,G111E | | | | | | | | | | | | | | | |
| | YZ250F* | G321E,G3336E,G342E | | | | | | | | | | | | | | | |
| | YZ250WR* | 3RB | | | | 4000 | 4250 | 4250 | | | | | | | | | |
| | TTR250 | G307E | | | | | | | | | | | | | | | |
| | XT250 | G374E | | | | | | | | | | | | | | | |
| | WR250F | G348E,G356E | | | | | | | | | | | | | | | |
| | WR250R | G375E | | | | | | | | | | | | | | | |
| | WR250X | G37E | | | | | | | | | | | | | | | |
| | YZ250* | G111E | | | | | | | | | | | | | | | |
| YZ250F* | G342E,G357E | | | | | | | | | | | | | | | | |
| 350 | BW350T/U | 2JN | | | 3250 | 3250 | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|-------------|----------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 250 | WR250Z* | 3RB,4JW,4DC | | | | | | | | | | | | | | | | |
| | YZ250* | 56A,1LU,2HH | | | | | | | | | | | | | | | | |
| | YZ250* | 2VM,3JE | | | | | | | | | | | | | | | | |
| | YZ250* | 3SP,3XK, 4DA,4JX | | | | | | | | | | | | | | | | |
| | YZ250* | 4MX,4DP | | | | | | | | | | | | | | | | |
| | YZ250* | G106E,G110E, G111E | 4250 | 4250 | 4250 | 4250 | 4250 | | | | | | | | | | | |
| | YZ250F* | G321E, G3336E, G342E | 5250 | 5250 | 5250 | 5250 | 5250 | | | | | | | | | | | |
| | YZ250WR* | 3RB | | | | | | | | | | | | | | | | |
| | TTR250 | G307E | | | | | | | 3750 | | | | | | | | | |
| | XT250 | G374E | | | | | | | | | 3750 | 3750 | 3750 | 3750 | | | | |
| | WR250F | G348E,G356E | | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | |
| | WR250R | G375E | | | | | | | | | 4500 | 4500 | 4500 | | | | | |
| | WR250X | G37E | | | | | | | | | 4500 | 4500 | 4500 | | | | | |
| | YZ250* | G111E | | | | | | | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | | | | |
| YZ250F* | G342E,G357E | | | | | | | 5250 | 5250 | 5250 | 5250 | 5250 | 5250 | | | | | |
| 350 | BW350T/U | 2JN | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|----------------|-----------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | |
| 350 | TY350 | 46Y,IVY | 2500 | 2500 | | | | | | | | | | | | | | | |
| | TT350 | 1RG | | 3500 | 3500 | | | | | | | | | | | | | | |
| | XT350,XT350C | 57T,56R | 4250 | 3750 | | | | | | | | | | | | | | | |
| | XT350 | 2KJ,3NV | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | |
| 400 | WR400* | CH043 | | | | | | | | | | | | | | | 4500 | 4500 | 4500 |
| | YZ400* | H308E | | | | | | | | | | | | | | | 4500 | 4500 | 4500 |
| 426 | WR426F | H309E | | | | | | | | | | | | | | | | | |
| | YZ426*,YZ426F* | CJ01C,J308E | | | | | | | | | | | | | | | | | 4500 |
| 450 | WR450F | J314E,J321E | | | | | | | | | | | | | | | | | |
| | YZ450F* | J313E,J314E, J321E | | | | | | | | | | | | | | | | | |
| | WR450F | J321E,J326E | | | | | | | | | | | | | | | | | |
| | YZ450F* | J324E,J329E | | | | | | | | | | | | | | | | | |
| 490 | YZ490* | 57H,1LV, 2HJ,2WH | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | |
| 500 | WR500Z* | 4AA | | | | | | | | 3500 | 3500 | 3500 | | | | | | | |
| 600 | TT600 | 55U | 3250 | 3250 | | | | | | | | | | | | | | | |
| | XT600 | 3UY,49N, 49R,3EW, 3UY | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (Motorcycle)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|----------------|-----------------------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 350 | TY350 | 46Y,IVY | | | | | | | | | | | | | | | | |
| | TT350 | 1RG | | | | | | | | | | | | | | | | |
| | XT350,XT350C | 57T,56R | | | | | | | | | | | | | | | | |
| | XT350 | 2KJ,3NV | | | | | | | | | | | | | | | | |
| 400 | WR400* | CH043 | | | | | | | | | | | | | | | | |
| | YZ400* | H308E | | | | | | | | | | | | | | | | |
| 426 | WR426F | H309E | 4250 | 4250 | | | | | | | | | | | | | | |
| | YZ426*,YZ426F* | CJ01C,J308E | 4500 | 4500 | | | | | | | | | | | | | | |
| 450 | WR450F | J314E,J321E | | | 4500 | 4500 | 4500 | | | | | | | | | | | |
| | YZ450F* | J313E,J314E, J321E | | | 4500 | 4500 | 4500 | | | | | | | | | | | |
| | WR450F | J321E,J326E | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | |
| | YZ450F* | J324E,J329E | | | | | | 4500 | 4500 | 4500 | 4500 | 4500 | 4500 | | | | | |
| 490 | YZ490* | 57H,1LV, 2HJ,2WH | | | | | | | | | | | | | | | | |
| 500 | WR500Z* | 4AA | | | | | | | | | | | | | | | | |
| 600 | TT600 | 55U | | | | | | | | | | | | | | | | |
| | XT600 | 3UY,49N, 49R,3EW, 3UY | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|-------------------------------|----------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 |
| 50 | YFM50Raptor | A303E | | | | | | | | | | | | | | | |
| | YFM50 | A303E | | | | | | | | | | | | | | | |
| 60 | YF60S | 1HN | | 2750 | | | | | | | | | | | | | |
| | YT60 | 36R | 2750 | | | | | | | | | | | | | | |
| 80 | YFM80Badger | 55X,2FJ | 4000 | 4000 | 4000 | 4000 | | | | | | | | | | | |
| | YFM80R,Badger, Raptor,Grizzly | 4EM,B302E, B304E | | | | | | | | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 |
| | YFM80 | B302E, B304E | | | | | | | | | | | | | | | |
| 90 | YFM90 | B306E | | | | | | | | | | | | | | | |
| 100 | YMF100Champ | 2HX,3GB | | | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | |
| 125 | YFA1Breeze, YFA1 | 3FA/AE01Y | | | | | | | | | 3500 | 3500 | 3500 | 3500 | 3750 | 3750 | 3750 |
| | YFM125 | E365E | | | | | | | | | | | | | | | |
| | YT125 | 21Y | 3000 | | | | | | | | | | | | | | |
| | YFM125A | E365E | | | | | | | | | | | | | | | |
| | YFM 125R | E3G4E | | | | | | | | | | | | | | | |
| 200 | YFM200, YFM200DX | 52H,1NU, 2FH,2VY,3GC | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | |
| | YFS200,Blaster | 2XJ/3JM, G109E | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------------------------|----------------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|------|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 50 | YFM50Raptor | A303E | | | | 4000 | 4000 | | | | | | | | | | | | |
| | YFM50 | A303E | | | | | | 4000 | 4000 | 4000 | 4000 | | | | | | | | |
| 60 | YF60S | 1HN | | | | | | | | | | | | | | | | | |
| | YT60 | 36R | | | | | | | | | | | | | | | | | |
| 80 | YFM80Badger | 55X,2FJ | | | | | | | | | | | | | | | | | |
| | YFM80R,Badger, Raptor, Grizzly | 4EM,B302E, B304E | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | | |
| | YFM80 | B302E, B304E | | | | | | | 3750 | 3750 | 3750 | | | | | | | | |
| 90 | YFM90 | B306E | | | | | | | | | | 4000 | 4000 | 4000 | | | | | |
| 100 | YMF100Champ | 2HX,3GB | | | | | | | | | | | | | | | | | |
| 125 | YFA1Breeze, YFA1 | 3FA/AE01Y | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | | | |
| | YFM125 | E365E | | | | 3500 | 3500 | | | | | | | | | | | | |
| | YT125 | 21Y | | | | | | | | | | | | | | | | | |
| | YFM125A | E365E | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | |
| | YFM 125R | E3G4E | | | | | | | | | | | | | | | | | 4000 |
| 200 | YFM200, YFM200DX | 52H,1NU, 2FH,2VY,3GC | | | | | | | | | | | | | | | | | |
| | YFS200,Blastrer | 2XJ/3JM, G109E | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|-----------------------|----------------------|-----------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 200 | YTM200,YTM200E | 21V,52G | 3750 | | | | | | | | | | | | | | | |
| 225 | YFM225 | 59V,2HT | | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | YTM225DX/DR | 29U,IEV,INV | 3500 | 3500 | | | | | | | | | | | | | | |
| 250 | YFU-1 | 3JN | | | | | 3000 | | | | | | | | | | | |
| | YFB250, FWTimberwolf | 4KD,4BD, AG01W, AG01Y | | | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| | YFM250, YFM250XL | 2GH,3GM, AG01Y, AG01W | | | | | 3500 | 3500 | 3500 | | | | | | | | 3500 | 3500 |
| | YFM250 | G302E,G334E | | | | | | | | | | | | | | | | |
| | YTZ250 | 38W,IRX | 3500 | 3500 | | | | | | | | | | | | | | |
| | YFM250R | G369E | | | | | | | | | | | | | | | | |
| | YFM250 | 334E | | | | | | | | | | | | | | | | |
| | 350 | YFM350, YFM350ER | 1YW,2VA,3HP | | | 3250 | 3250 | | 3250 | | 3250 | 3250 | 3250 | 3250 | | | | |
| YFM350U BigBear2WD | | H305E | | | | | | | | | | | 3250 | 3250 | 3250 | 3250 | | |
| YFM350F/ FWBigBear4WD | | 4WU,2HR, 3HN,H302E | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | |
| | | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------------------|-----------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 200 | YTM200,YTM200E | 21V,52G | | | | | | | | | | | | | | | | | |
| 225 | YFM225 | 59V,2HT | | | | | | | | | | | | | | | | | |
| | YTM225DX/DR | 29U,IEV,INV | | | | | | | | | | | | | | | | | |
| 250 | YFU-1 | 3JN | | | | | | | | | | | | | | | | | |
| | YFB250, FWTimberwolf | 4KD,4BD, AG01W, AG01Y | 3500 | 3500 | | | | | | | | | | | | | | | |
| | YFM250, YFM250XL | 2GH,3GM, AG01Y, AG01W | | | | | | | | | | | | | | | | | |
| | YFM250 | G302E,G334E | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | YTZ250 | 38W,IRX | | | | | | | | | | | | | | | | | |
| | YFM250R | G369E | | | | | | | | | | 3500 | 3500 | 3500 | 3500 | | | | |
| | YFM250 | 334E | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| 350 | YFM350, YFM350ER | 1YW,2VA,3HP | | | | | | | | | | | | | | | | | |
| | YFM350U BigBear2WD | H305E | | | | | | | | | | | | | | | | | |
| | YFM350F/ FWBigBear4WD | 4WU,2HR, 3HN,H302E | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|--------------------------|-----------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
| 350 | YFM350 FXWolverine | 4KB,H306E | | | | | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | |
| | YFM350 XWarrior | 1UY,2XX,3GD | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | |
| | YFM350A/ FABruin | H315E,H316E | | | | | | | | | | | | | | | | |
| | YFM350, YFM350RRaptor | H318E | | | | | | | | | | | | | | | | |
| | YFZ350 | 2GU,3GG | | | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 | 3750 |
| | YFM350FX | H306E | | | | | | | | | | | | | | | | |
| | YFZ350 | 3GG | | | | | | | | | | | | | | | | |
| | FWAN | H315E | | | | | | | | | | | | | | | | |
| | YFM350A/AS | H316E | | | | | | | | | | | | | | | | |
| | YFM350 | H318E | | | | | | | | | | | | | | | | |
| 400 | YFM400F BigBear4WD | AH06W, AH06Y | | | | | | | | | | | | | | | | 3500 |
| | YFM400U BigBear2WD | AH08W, AH08Y | | | | | | | | | | | | | | | | 3500 |
| | YFM400A Kodiak2WD | AJ04W, AJ04Y | | | | | | | | | | | | | | | | 3500 |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|--------------------------|-----------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 350 | YFM350 FXWolverine | 4KB,H306E | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | YFM350 XWarrior | 1UY,2XX,3GD | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | | |
| | YFM350A/ FABruin | H315E,H316E | | | | 3250 | 3250 | | | | | | | | | | | | |
| | YFM350, YFM350RRaptor | H318E | | | | 3500 | 3500 | | | | | | | | | | | | |
| | YFZ350 | 2GU,3GG | 3750 | 3750 | 3750 | 3750 | 3750 | | | | | | | | | | | | |
| | YFM350FX | H306E | | | | | | 3500 | | | | | | | | | | | |
| | YFZ350 | 3GG | | | | | | 3750 | | | | | | | | | | | |
| | FWAN | H315E | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | |
| | YFM350A/AS | H316E | | | | | | 3250 | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | |
| YFM350 | H318E | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | |
| 400 | YFM400F BigBear4WD | AH06W, AH06Y | | | | | | | | | | | | | | | | | |
| | YFM400U BigBear2WD | AH08W, AH08Y | | | | | | | | | | | | | | | | | |
| | YFM400A Kodiak2WD | AJ04W, AJ04Y | | | | | | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|-----------------------------|-----------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | |
| 400 | YFM400F/ AKodiak4WD | 4GB,AJ03W, AJ03Y | | | | | | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| | YFM400AKodiak, YFM400FWA | J304E,J305E | | | | | | | | | | | | | | | | | |
| | YFM400/FW | H312E,H310E | | | | | | | | | | | | | | | | | |
| | YFM400FWAN | J320E | | | | | | | | | | | | | | | | | |
| | YFM400FWN | H310E | | | | | | | | | | | | | | | | | |
| 450 | YFM450FWA Kodiak | J310E | | | | | | | | | | | | | | | | | |
| | YFZ450 | J317E,J323E | | | | | | | | | | | | | | | | | |
| | "YFM450 FWAN / FAS" | J310E, | | | | | | | | | | | | | | | | | |
| | YFZ450 | J325E | | | | | | | | | | | | | | | | | |
| | YZF450R | J327E | | | | | | | | | | | | | | | | | |
| YXR450F Rhino | J322E | | | | | | | | | | | | | | | | | | |
| 550 | YFM550FWA/ FWAD | J328E | | | | | | | | | | | | | | | | | |
| 600 | YFM600Grizzly | AJ02Y, AJ02W,J303E | | | | | | | | | | | | | | | 3500 | 3500 | 3500 |
| 660 | YFM660RRaptor | M301E | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | | |
|---------------------|-----------------------------|-----------------------|------------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | | |
| 400 | YFM400F/ AKodiak4WD | 4GB,AJ03W, AJ03Y | | | | | | | | | | | | | | | | | |
| | YFM400AKodiak, YFM400FWA | J304E,J305E | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | YFM400/FW | H312E,H310E | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | | | | | | |
| | YFM400FWAN | J320E | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | | |
| | YFM400FWN | H310E | | | | | | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 | | | | | | |
| 450 | YFM450FWA Kodiak | J310E | | | 3125 | 3125 | 3125 | | | | | | | | | | | | |
| | YFZ450 | J317E,J323E | | | | 3750 | 3750 | | | | | | | | | | | | |
| | "YFM450 FWAN / FAS" | J310E, | | | | | | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | | | | | | |
| | YFZ450 | J325E | | | | | | 3750 | 3750 | 3750 | 3750 | | | | | | | | |
| | YZF450R | J327E | | | | | | | | | | 3720 | 3750 | 3750 | | | | | |
| | YXR450F Rhino | J322E | | | | | | 3000 | 3000 | 3000 | 3000 | 3000 | | | | | | | |
| 550 | YFM550FWA/ FWAD | J328E | | | | | | | | | | 3125 | 3125 | 3125 | | | | | |
| 600 | YFM600Grizzly | AJ02Y, AJ02W,J303E | 3500 | 3500 | | | | | | | | | | | | | | | |
| 660 | YFM660RRaptor | M301E | 3250 | 3250 | 3250 | 3250 | 3250 | | | | | | | | | | | | |

Continued from previous page



1985-2000 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | |
|---------------------|----------------------|-------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | Model Year | | | | | | | | | | | | | | |
| | | | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 |
| 660 | YFM660FWA Grizzly | M302E | | | | | | | | | | | | | | | |
| | YXR660F Rhino | M305E | | | | | | | | | | | | | | | |
| | YFM660FWA | "M302E, M303E" | | | | | | | | | | | | | | | |
| 700 | YFM700R | M308E | | | | | | | | | | | | | | | |
| | YFM700FWA/ FWAD | M310E | | | | | | | | | | | | | | | |
| | YXR700 Rhino | M312E | | | | | | | | | | | | | | | |
| | YXR700F4 | M314E | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

Continued on next page



2001-2011 Model Test RPM Data
Supplement to MIC Stationary Sound Test Manual for Off-Highway Motorcycles, ATVs, & ROVs

YAMAHA (ATV)

| Engine size (in cc) | Model | Engine Prefix | Test RPM | | | | | | | | | | | | | | | |
|---------------------|----------------------|-------------------|------------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|
| | | | Model Year | | | | | | | | | | | | | | | |
| | | | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | | | | | |
| 660 | YFM660FWA Grizzly | M302E | 3125 | 3125 | 3125 | 3125 | | | | | | | | | | | | |
| | YXR660F Rhino | M305E | | | | 3000 | 3000 | 3000 | 3000 | | | | | | | | | |
| | YFM660FWA | "M302E, M303E" | | | | | | 3125 | 3125 | 3125 | 3125 | | | | | | | |
| 700 | YFM700R | M308E | | | | | | 3125 | 3125 | 3125 | 3125 | 3125 | 3125 | | | | | |
| | YFM700FWA/ FWAD | M310E | | | | | | | | 3125 | 3125 | 3125 | 3125 | | | | | |
| | YXR700 Rhino | M312E | | | | | | | | 2625 | 2625 | 2625 | 2625 | | | | | |
| | YXR700F4 | M314E | | | | | | | | | | 2625 | | | | | | |

Continued from previous page

